

## A Review on Cloud and Fog Computing Integration for IoT: Platforms Perspective

Asrar A. Baktyan<sup>1,\*</sup> and Ammar T. Zahary<sup>1</sup>

<sup>1</sup>Information Technology Department, FCIT, Sana'a University, Sana'a, Yemen; asrar@yemenmobile.com.ye, aalzahary@gmail.com

### Abstract

The fourth industrial revolution can connect ecosystems of more than 20 billion devices with an unpredictable gross of the local consumption. Connected devices will produce approximately 44 ZB of raw data by 2020, which provides interesting challenges relatively to privacy, connectivity, and scalability. The Internet of Things (IoT) is earning growing attention that provides the interconnection between the physical and the digital world. Consequently, the physical world needs to be measured and converted into expressible statistics. Cloud for IoT introduces precious application and unique services in several domains. However, fog computing helps in efficient utilization and better performance in case of bandwidth utilization, and low power consumption. This review focuses on the IoT platforms used for fog and cloud computing to serve IoT end-to-end services. In addition, the application of the cloud of thing and fog roles to improve the challenges of the cloud of things are also provided.

**Keywords:** Cloud computing, CoT, Fog computing, IoT Platform, IoT Paradigm, Software Defined Networks

Received on 27 January 2018, accepted on 17 March 2018, published on 20 March 2018

Copyright © 2018 Asrar A. Baktyan and Ammar T. Zahary, licensed to EAI. This is an open access article distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/3.0/>), which permits unlimited use, distribution and reproduction in any medium so long as the original work is properly cited.

doi: 10.4108/eai.20-12-2018.156084

### 1. Introduction

The huge variety of IoT devices that are connected to the Internet is resulting in the rise of the worldwide use of IoT communication paradigms. IoT permits both public and private organizations to combine always-connected, smart objects to enhanced everyday human lives in many aspects [1]. Furthermore, smart industries and smart supply chains are the examples of the IoT to discourse efficiency in several business domains. Industrial production is varying from the employment of robots to the self-learning ubiquitous adoption of advanced smart sensors and objects. The businesses shall improve pursuit and control of supply chains, with more computational power and more reliable secure connections.

The integration of IoT and cloud computing is producing the new tiers of competence in providing

services. The evolving business views coming from IoT are pushing the private, public, and hybrid Cloud Service Providers (CSPs) to associate their networks with IoT devices (including sensors and actuators) that are connected to the Internet to introduce the Sensor and Actuator as a Service (SAaaS). The IoT-cloud combination demands a wide range of “big data” technologies and services to control both semi-structured and unstructured data [2].

Millions of sensors and devices are endlessly creating data and exchanging control messages via compound networks to offer machine-to-machine communications and monitoring the smart networks. To help in mitigating the growth in resource congestion, edge computing has been presented to localize the computing near the terminal devices. In contrary to the centralized cloud computing, edge computing shifts the data computation and storage to the network “edge”. However, Variety of computation

\*Corresponding author. asrar@yemenmobile.com.ye

nodes distributed across the network can reduce the load of the computational strain away from the centralized data centre, and can obviously decrease the delay in the messages' transfer. Furthermore, the benefit of the distributed construction is stabilizing the traffic load in the IoT network. Moreover, by tacking computation and communication load from nodes with restricted battery supply to nodes with strong power resources, the network can expand the lifetime of the terminal devices [3].

The IoT competence is unrestricted and its usage can transform the entire models of the whole technology. It relies on attaching network interface into objects, enabling communications between them with slightest inputs from human beings to produce services for customers. However, each device will have its own identifier, like an Internet Protocol address (IP address) that can join and communicate with other devices through the IoT network and Internet. While the users could get data only from the service provider of the network before IoT, the users nowadays can directly access the sensors and give instructions to the actuators. As a result, data from IoT applications will be utilized to harvest a novel service to manufactures, academia, and even individual use. All the objects, animals, and people are put in the network with unique identifiers and are capable to transmit data without requiring human-to-human or human-to-computer interaction. Yet, there are some restrictions in the recent study to build a full IoT network. First, the applications and services for IoT are basically established by various vendors without any standard technology. Second, there is no existing standard network protocol for all IoT applications. Recently, there have existed many different network protocols like Wi-Fi, Bluetooth, ZigBee, Z-wave, and Long-Term Evolution (LTE)[4]. However, there is no protocol for the current devices that could communicate with all existing network protocols at the same time. To overcome this issue, the gateway which is called fog computing providing heterogeneous networks is vital to creating a whole IoT network. Additionally, the growing number of IoT devices and the need for Big Data processing will extend the number of packets sent to a network, where this issue can be a serious problem to the network infrastructure [5].

This study provides the cloud and fog computing integration for IoT devices focusing on the most popular platform used to support fog and end to end services. In addition, this overview produces the roles of fog plays in

IoT application and solves many challenges in Cloud of Things (CoT). The remainder of this review is structured as follows Section 2. explains the structure of CoT, the integration of fog and cloud computing, and IoT paradigms. Then Section 3. introduces the fog computing heterogeneity of resources, and the fog and cloud platforms. Section 4. gives the application categories of the CoT. Section 5 provides the challenges of CoT and whose fog helps to overcome those challenges. The conclusion in section 6 Summarizes the study.

## 2. IoT Architecture

There are three major layers for IoT architecture as shown in figure 1. The service layer is on the surface that communicates with the users directly; for example, autonomous driving, healthcare, intelligent communication, industrial automation, governmental sectors, smart industries, smart homes, smart cities, and personal smart devices. These services are connected with a platform layer. The platform layer is below the service layer and provides the IoT applications and services. Examples of the platforms are the device platform, data analysis platform, service development platform, and service platform. The device platform provides the environment for executing the services and development for users [6] [7]. On the other hand, data analysis platform works as context awareness prediction, collaborates through things and connects the service layer and other layers with the translation of natural language to machine language. Analytics support reducing the tension on the network layer, reducing power desires for sensors by less frequent communication backend and let faster replies to data received by the sensors. Moreover, the service development platform cares about development toolkits produced to users in order to easily develop IoT services. Finally, the service platform provides the generation and implementation of a wide range of applications [4].

The use of centralized cloud computing increases the concerns about bandwidth limitation and delay. Though, a new platform called Fog/edge Computing has been presented to serve the IoT applications that cannot be performed in the cloud due to the demand of the gateway pre-processing and analysing [8].




Figure 1 IOT Structure

The device layer is utilized, and it monitors the different open infrastructure at the edge. It sends the separated data that demands services used up locally by the fog layer. In the fog layer, the device layer spreads the filtered raw data to the fog layer, where the high-performance distributed SDN controller is located. Every fog node covers a small area and provides data analysis and service delivery in a timely manner. The fog layer communicates with the cloud layer to inform it with the result of the processed data, and sometimes informs the device layer about the output reports. The fog layer introduces localization services, whereas the cloud layer provides central monitoring and controlling. Fog layer provides a wide range of events detection, behavioural analysis, and semi-permanent pattern recognition by introducing distributed computing and storage. Cloud layer proposes a distributed cloud based on the block chain technique that has secure, low-cost, and on-demand access to the foremost competitive computing infrastructures. Clients can use all the computing resources like servers, data storage, and applications that they need. For the fog layer, the use of a block chain-based, distributed computing is to secure SDN controller network architecture in the fog node. All the SDN controllers are communicated in a distributed pattern using the block-chain technique [9]. Every SDN controller is approved by an analysis function of the stream rule and a packet migration function to secure the network from overload attacks. At the edge of the network, the multi-interfaced Base Stations (BSs) are used

with SDN switch to support the wireless communication technologies implemented in IoT devices. The fog nodes have SDN controllers which work as the programming interfaces to produce a wide range of network services. A fog node can access the distributed cloud to the Internet to run the application service and computing capability. Fog nodes transfer the computing load to the cloud when they run out of resources to handle the increased latency communications [6] [10].

## 2.1. Fog and Cloud Integration for Internet of things

The rapid movement toward web3, which is pervasive computing web, has already made the connected devices reach 9 billion and are going to reach 24 billion by 2020. Since the number of connected devices is quickly increasing, there will be a lot of data as well. Storing that data locally and temporarily will be difficult [11]. There is a need for rental storage space. Context will be modelled to rage device knowledge along to deduce new information. So, the data is utilized and processed to form information and knowledge then wisdom to the users. While IoT devices are low in cost and light in weight, they cannot manage to process the huge data. In CoT, heterogeneous networks will provide various types of data and services with the help of fog computing. The network must have the flexibility to support all types of data according to its requirements and QoS [12].




Figure 2 Fog and cloud Integration with SDN controller

Mobility-awareness service is a service in 5G enabled Fog computing, and it forwards a large amount of data from one fog node to another in real-time, overcoming communication overhead. However, due to decentralized orchestration and heterogeneity of fog nodes support, management of 5G network resources are not as simple as other computing paradigms. Nonetheless, fog infrastructures can be owned by different providers that can significantly resist developing a generalized policy for IoT networks. Besides arranged network slicing for forwarding latency-sensitive IoT, data can also contribute additional complications in 5G networks with enabled Fog computing [13]. To bring the IoT software mass to a suitable concept, there is a need to construct a software-defined machine (SDM) by joining different IoT elements. In this framework, the SDM acts as a small cloud infrastructure in which the deployment of different IoT components accomplishes a configuration and management at runtime. IoT services are decided by the IoT Service Provider who uses SDM Profile (and its APIs). The IoT Service Provider concerns are about the APIs and other service limitations. The IoT Infrastructure Provider and the IoT Service Provider give a consideration about the SDM APIs

utilization and they monitor SDM APIs to maintain security, service contracting, and outlining [14].

As Figure 3 shows, the Software Defined Machine (SDM) for IoT has three layers. The lowest layer of the SDM is flexible and has a lot of configurations to preserve the cloud network, permitting IoT services to transfer data through communication devices that provide software-defined networking (SDN) for various workloads. The operating systems are in the intermediate layer with virtualization capabilities. The cloud network hardware serves as a software-defined router, which is programmable to control the communication protocol and interfaces. The data approved by the SDM can go to another SDM or cloud server. Storage drivers and cloud server allow the data to be kept in an SDM locally or to go directly to the cloud central storage. The imperative aspect in SDM structure is how to store the data into the SDM storage using software-defined APIs, and whether to store the data locally or transmit it to another SDM or cloud servers [15].




Figure 3 Software-defined machine (SDM) for the Internet of Things (IoT) part, which includes infrastructures and IoT elements deployed next to the “things”

Table1 Sample of requirements for establishing an Internet of Things (IoT) fog and cloud network [15] [16] [17] [18].

Type	IOT	Cloud	Fog
Infrastructure machines	industrial and popular gateways (like Intel IoT Gateway) and operating system containers (like Dockers).	Virtual machines and operating system containers.	Virtual machines and operating system containers with limited resources.
Connectivity protocols	(MQTT), (CoAP), HTTP, (CAN) bus.	MQTT, (AMQP), HTTP, and so on.	MQTT, CoAP, XMPP, AMQP, DDS.
Platform software services	Lightweight data services (like NiagaraAX/Obix), lightweight compound event processing (CEP) and data synthesis, topology description and distribution service (like TOSCA), and lightweight application containers (like OSGI and Sedona).	Load balancers (like HAProxy), message-oriented middleware MOM (like ActiveMQ and Kafka), NoSQL, stream/batch processing (like Hadoop and Spark), factor repositories/markets, and distribution services (like TOSCA, HEAT, and Chef).	FogHorn, fogflow, OpenVolcano
Working environment	everywhere	Carefully selected Warehouse building with air conditioning systems.	Outdoor shelters (e.g., Streets, gardens, parks) or indoor (e.g., Restaurants, shopping mall).
Security	Hard to define	Defined	Hard to define
Attack on data	High possibility	Less probability	High probability
Security and Privacy	encryption chips and communication technology security	Authentication, authorization, firewall, and antivirus.	Cryptographic suites and security in communication protocols.

## 2.2. Cloud IoT paradigms

The approval of the CoT paradigm permits new scenarios for IoT services and applications based on the integration of cloud and the things, as shown in Table 2 [19] [20] [21] [22] [23] [24] [25] [26] [27]:

IOT paradigms	Purpose
SAaaS (Sensing and Actuation as a Service)	enabling programmed control logical implementation in the cloud.
SEaaS (Sensor Event as a Service)	enabling pervasive management of remote sensors.
Senaas (Sensor as a Service)	providing pervasive control of remote sensors.
DBaaS (DataBase as a Service)	providing pervasive database management.
DaaS (Data as a Service)	providing pervasive access to all database types.
EaaS (Ethernet as a Service)	providing pervasive layer-two connectivity to remote devices.
Cloud-Based Analytics as a Service (CLAaaS)	Providing data storage and analytics in the form of the cloud as services.
IPMaas (Identity and Policy Management as a Service)	providing pervasive access to policy and authentication management services.
VSaaS (Video Surveillance as a Service)	Providing pervasive access to documented video and application.
BIaaS/BIaS (Business Integration as a Service)	enabling connections between various clouds services and joins a variety of other services and business activities to achieve the efficient processes.
Secuaas/SaaS (Security as a Service)	-providing the cloud-based solution for data, host and application safety. -validating the security over a geographically spread scalable, multi-cloud and cloud federation infrastructure.
ObaaS (Object as a Service)	Building the service on each item as required and subsequently participate it into the whole configuration.

MobiaaS (Mobility as a Service)	providing the required connectivity service stability to the consumers. It also brings a continuous handoff for communication flows such as speech as the subscribers using a host of the devices to communicate.
FRaaS (Forensics as a Service)	providing a comprehensive cloud-powered forensics resolution to progress a repeatable system.
FaaS (Failure as a Service)	Executing the routine large-scale failure workouts in real time distributions. FaaS is accomplished to introduce the large-scale failures online. However, it may support mitigation, respond, or recovery from failures at the individual or organizational level.
CaaS (Context as a Service)	providing a customized data provision method in which the Fog and Edge Computing (FEC) nodes can collect and process the data to generate expressive information for the clients.
UCaaS (Unified Communications as a Service)	Providing communications such as voice over IP (VoIP or Internet telephony), instant messaging (IM), and video conference applications by using either fixed or mobile devices.
DRaaS (Disaster Recovery as a Service)	Providing the replication and hosting of physical or virtual servers by a third party to produce failover in the event of a man-made or natural catastrophe.
BaaS (Backend as a Service)	Providing connection features such as user management and notifications to backend cloud.
Daas (desktop as a service)	Providing Virtual Desktop Integration (VDI) system that enterprise's users can log into.
Faas (Framework as a Service)	Providing hybrid of Software as a service and platform as a service which is customized to fit business demands.
ITaaS (Information Technology as a Service)	Providing the delivery of all technologies needed to creating, storing, exchanging and using enterprise data with high-level support and regular upgrade.
TaaS (Transportation as a service)	Providing alternative option to car ownerships toward mobility solution that people can consume it as a service.

### 2.3. Fog Heterogeneous Physical Resources

ints, and even terminal devices like vehicles, sensors, and cell phones etc. The various hardware structures have distinctive levels of RAM, and secondary storage to provide new services. The platforms use various kinds of OSes and software applications consequential in a wide range of hardware and software abilities. The Fog network infrastructure is heterogeneous in nature, varying from high-speed links joining enterprise, data centres, and the core network to the various wireless access technologies (ex: 3G/4G, LTE, Wi-Fi etc.) end up to the terminal devices [28]. Communication between the tiers is done in four different ways. (a) smart device to smart device, (b) smart device to Fog node, (c) fog node to Fog node, and (d) fog node to cloud data centre.

The data transfer between the smart devices and electric vehicles is done in the first-tier communication. But if any two smart devices that are not in the same fog area need to be interconnected, the connection can be done in a higher level i.e. the fog tier. The fog tier fundamentally communicates with different smart terminals and collects the data from the users. As a result of fog tier defining the private and public data, the data storage and bandwidth are reduced. Usually, the private data is gathered and kept as encrypted data and the public data as a non-encrypted data. The intermediate level cannot translate the encrypted data since there is privacy between the cloud server and the subscriber. Fog computing does not need third parties to interfere while communicating with different kinds of IoT devices and also with metrics of processing tasks, for instant, fog computing introduces a good resource of multi latency compared to cloud computing [29]. The need for

geographical distribution and low-latency computational resources led to the technological progress of fog computing. Fog promotes the development of more dedicated nodes that propose low computational resources. These gateway nodes are known as mist nodes which are introduced as lightweight fog nodes. These mist nodes produce the mist computing layer that are placed even closer to the devices than the more powerful fog nodes that work with the smart end-devices they serve [30].

## 3. IoT platform

In the least complex terms, an IoT platform is an integrated service that offers you the components you need to bring physical items on the web. It needs to be suitable for supporting millions of simultaneous device connections and effectively allows you to arrange your devices for machine-to-machine communication [31].

The three-level architecture comprises the edge tiers, platform tiers, and enterprise tiers that are joined by access and service networks. The system designs apply a combination of wireless and/or wired technologies like RFID, Bluetooth, Cellular, ZigBee, Z-Wave, and Ethernet. As shown in Figure 4, the data is passed through the access network to the platform tier, which confirms the processing of the data forwarding it to the enterprise tier. In addition, the processing and control commands from the enterprise tier go back down to the edge tier (again, over the access network).

The platform tier allows the service network to connect with the enterprise tier, which provides end user interfaces, control commands and domain applications [32]




Figure 4 Platform connected Edge Tier and Enterprise Tier

### 3.1 IoT platform Types

There are four different types of IoT platforms: End-to-End, connectivity, cloud, and data:

- End-to-end IoT Platforms

Essentially, end-to-end IoT platform gives the hardware, software, connectivity, security, and device management tools to work with a great number of simultaneous device connections. Additionally, it gives all the managed integrations you need like OTA firmware updates, device management, cloud connection, cellular modem, etc., to connect and monitor a wide range of devices online [31]. The high-scalable and high-reliable software platform support IoT architecture with connectivity, security and device management functionalities utilized to work in energy constrained environments. In addition, the Open-Standards are provided interoperability embedded in the firmware for connectivity with third-party applications and device management.

Examples: [Particle](#) [33].

- Connectivity Management Platforms (M2M platforms)

These kinds of platforms offer low power and low-cost connectivity management solutions either by Wi-Fi or

cellular technologies. This can vary from hardware connectivity, cellular networks, to the data routing features of the same set of sensor data.

Examples: [Mulesoft](#), [Hologram](#), [Sigfox](#)

- IoT Cloud Platforms

Cloud platforms reduce the complexity of building the network stack and offer the essential services (plus other services) to monitor and track a huge range of concurrence device connections. The cloud platform is willing to use a comprehensive web portal for scalable data storage and management for cloud applications.

Examples: [Google Cloud IoT](#), [Salesforce Cloud IoT](#)

- Data Platform

Every type of IoT platform deals with data in different ways. But these IoT data platforms combine many of the tools you need to route device data and control data analytics [31]. The wide range of IT infrastructure collect, secure and analyze the data received from all the connected IoT Service Platforms [33].

Examples: [Clearblade](#), [Azure](#), [ThingSpeak](#)

### 3.2 IoT Platform Verticals

Categorizing IoT platforms under a single category is probably representing it too simple. All these platforms offer more solutions and the solution should be more than

a single category. So, you need to test what they are offering, and whom they are offering it to.

- **Hobbyists**
  - i. Prototyping Solutions
  - ii. Development Kits
  - iii. DIY solutions
- **Consumer Electronics**
  - i. Utilities (Smart Bike Locks & Trackers , Smart Bluetooth Tracker)
  - ii. Home automation (Smart Lock, Smart Home App)
  - iii. Wearables
  - iv. Anything with Alexa-involved
- **Industrial IoT (IIoT) Solutions**
  - i. Smart factory warehousing applications
  - ii. Predictive and remote maintenance.
  - iii. Industrial security systems
  - iv. Asset tracking and smart logistics
  - v. Energy optimization
  - vi. Transportation monitoring
  - vii. Connected logistics
- **Industry-Driven**
  - i. Agricultural Oil and Gas
  - ii. Healthcare Services
  - iii. Transportation
  - iv. Smart Cities
  - v. Energy Consumption monitoring [31] [34]

### 3.3 Fog and Cloud IoT Platform

The gap between the device sensors and data networks is stuffed by IoT Platform. The platform connects the data network to the device and introduces insights using backend applications to create a sense of knowledge generated by many sensors.

Recently, there has been a variety of IoT platforms that give options to deploy IoT applications on the market. Whereas there are many corporations work on IoT platform development, providers like Amazon and Microsoft are way ahead of others within the competition [35].

Choosing an IoT platform can be a challenging task in terms of sufficient knowledge about a selected vendor. However, two key paradigms are important for the IoT, open-source and commercial platforms that are clearly differentiated on many concept lines. Comparing IoT platforms through these lines can help you build a frame of reference for selecting a proper platform for your company’s needs [36]. According to [35] the top 20 IoT platforms in 2018 used for the application and the popular fog platform are mentioned in the table below:

Table 3 illustrates the most popular platform for fog and cloud IoT [35] [37] [38] [39] [40] [41] [42] [43] [44]

Platform	Industry	Protocols Data collection	Main Features
FogHorn	industry IoT middleware platform relay	OPC-UA, MODBUS, MQTT	-FogHorn’s software platform produces the power of machine learning and advanced analytics to the edge network. - providing a new kind of applications for improved monitoring, diagnostics, quality performance optimization, operational intelligence, and predictive maintenance use cases.
Fogflow	NEC Laboratories Europe	NGSI	-It enables on-demand context information processing. - FogFlow extends the capabilities of FIWARE context data management to bring AI-based information processing close to the IoT terminals. - FogFlow is mobility support.
macchina.io Edge Device SDK and Remote Manager	licensed under Apache 2.0(Open Source)	MQTT, COAP	-macchina.io works with a web-enabled, modular and extensible C++ and JavaScript runtime environment. -Runs on Embedded Linux devices with only 32 MB of RAM or more.
FIWARE	European Union and the European Commission	CoaP, JSON, HTTP/MQTT, OPC-UA	- It produces an improved OpenStack-based cloud, whose capabilities and Catalogue are hosted. - The FIWARE Catalogue has Generic Enablers (GEs), providing a wide range of devices. - FIWARE only separates between Devices and NGSI gateway Devices.
OpenMTC	Open Source	HTTP,CoAP, MQTT,Weeve’s TEE-MQTTS	-It interconnects various sensors and actuators from different vertical domains. -It allows you to develop new or test existing IoT/M2M applications, create your own IoT/M2M infrastructure, or extend an existing one.
SiteWhere	CPAL 1.0 (Open Source)	MQTT, JSON, AMQP, XMPP, Stomp, JMS, and WebSockets	-Speed time to market for your IoT application. -Control framework and APIs for custom development. -Focus on giving a solution to business problems, not reinventing the wheel.

Webinos	European Union FP7 project (Open Source)	HTTPS and JSON-RPC	<ul style="list-style-type: none"> <li>-It enables web applications and services to be used consistently and securely over a wide spectrum of spread and connected devices, including smart Devices, PC, TV, and in-car units.</li> <li>-It Helps a "single service for every device" vision, webinos will change the present baseline from installed applications to services running steadily.</li> </ul>
AWS IoT	Amazon	HTTP, MQTT + WebSocke	<ul style="list-style-type: none"> <li>-Registry for recognizing devices.</li> <li>-Software Development Kit for devices.</li> <li>-Device Shadows.</li> <li>-Secure Device Gateway.</li> <li>-Rules engine for inbound message estimation.</li> </ul>
IBM Watson IoT Platform	IBM	MQTT, HTTP	<ul style="list-style-type: none"> <li>-Device Management.</li> <li>-Secure Communications.</li> <li>-Real-Time Data Exchange.</li> <li>-Data Storage.</li> <li>-Recently added data sensor and weather data service.</li> </ul>
Microsoft Azure IoT Hub	Microsoft	HTTP, AMQP, and MQTT	<ul style="list-style-type: none"> <li>-Device observation.</li> <li>-A rules engine.</li> <li>-Identity registry.</li> <li>-Data monitoring.</li> </ul>
SmartThings	Samsung	CoAP	<ul style="list-style-type: none"> <li>- The core functionality of the platform is produced by the Subscription Processing and the Application Management System, including the SmartApp Management &amp; Implementation mechanisms.</li> </ul>
Kaa	Apache 2.0 license (Open Source)	MQTT and CoAP	<ul style="list-style-type: none"> <li>-Horizontally scalable can handle millions of devices.</li> <li>- Raw, unstructured data can also be converted into well-structured time series, convenient for analytics, pattern analysis, visualization, charting, etc.</li> </ul>
Google Cloud Platform	Google	MQTT and HTTP	<ul style="list-style-type: none"> <li>-Fast-track your business.</li> <li>-Accelerate your devices.</li> <li>-Cut Price with cloud Service.</li> <li>-Partner Ecosystem.</li> </ul>
ThingWorx	PTC	MQTT, REST, ODBC, and SNMP	<ul style="list-style-type: none"> <li>- ThingWorx is the best-in-class Industrial Innovation platform for developing industrial IoT applications and augmented reality (AR) experiences.</li> <li>-Eliminate complication from IoT application development.</li> <li>-Distribute platform through developers.</li> <li>-Integrated machine learning for multifaceted big data analytics.</li> <li>-prevail cloud, embedded or based on IoT solutions.</li> </ul>
Artik	Samsung	HTTPS/REST, Websockets, MQTT and CoAP	<ul style="list-style-type: none"> <li>-Cloud: Easy to use. Can Tap into New Revenue Streams.</li> <li>-Modules: Built for performance and security.</li> <li>-Security: Protects from hacking.</li> </ul>
Cisco IoT Cloud Connect	Cisco	MQTT, CoAP, XMPP and RESTful HTTP	<ul style="list-style-type: none"> <li>-Voice and data connectivity.</li> <li>-SIM lifecycle management.</li> <li>-IP session control.</li> <li>-Customizable billing and reporting.</li> </ul>
Universal of Things	Hewlett Packard Enterprise	MQTT, LTN Gateway,	<ul style="list-style-type: none"> <li>-Secure Monetization: HPE has been in control of the data monetization of many organizations.</li> <li>-Data Analytics: controls and analyses data so that business can develop.</li> <li>-Application Designer and Marketplace: Built-in application to let you create the new IoT services fast.</li> <li>-Platform Architecture: Single Point, Single vendor to control M2M devices.</li> </ul>
Salesforce IoT Cloud	Thunder (open Source)	REST HTTP	<ul style="list-style-type: none"> <li>-Creating sales orders and capturing potential opportunities.</li> <li>-Services-Request and order repairs automatically.</li> <li>-Marketing-Notifies customers through texts directly on their devices.</li> <li>-Apps-Automatic inspections of inventory.</li> </ul>
Datav	BSquare	HTTP	<ul style="list-style-type: none"> <li>-Predictive Failure: Increases uptime.</li> <li>-Adaptive Diagnostics: Repairs the failure and avoid any extra costs.</li> <li>-Manages the device.</li> <li>- enhances efficiency.</li> <li>- enhances the asset condition.</li> <li>-Keeps track.</li> </ul>
Mindsphere	Siemens	HTTPS or MQTT	<ul style="list-style-type: none"> <li>-Mind Apps: let you control engine data to follow up new opportunities.</li> <li>-Open cloud Platform: as data Analytics and visions.</li> <li>-Cybersecurity: Follows Manufacturing Standards.</li> </ul>

Ayla Network	Ayla	HTTPS, MQTT, and CoAP	-AMAP Ayla’s agile Mobile Application Platform that grows and control the user in app development. It also gives services such as Ayla Insights that maintain the customer updated of the latest trends. -End to End support.
Bosch IoT Suite	Bosch	HTTP and MQTT	-Platform as a Service (PaaS) -Remote manager -Analytics -Cost-effective -Ready to use
Carriots	Open Source	Rest HTTP API and MQTT	-Device management -SDK application engine -Debug and logs -API key management -Data export feature -Custom alarms -Customer hierarchy levels -User management -Custom control panel
Oracle Integrated Cloud	Oracle	Rest HTTP API	-Quicker to market -Integrated -Real-time insight -Secure and scalable
General Electric’s Predix	GE Digital Alliance program	OPC-UA, Modbus, and MQTT	providing a PaaS platform to produce better decision-making in real time, GE’s Predix is made for ordinary domains such as healthcare, transportation, and energy. It uses in the development of IoT applications that can work in real-time operational data aiding and better decision making.
MBED IoT Device	Apache 2.0 Arm (Open Source)	CoAP/HTTP, TLS/TCP, DTLS/UDP, and OMA LWM2M	-Easy to Use -Device and Element Support -End to End Security
Mosaic	LTI (Open Source)	HTTP, MQTT, XMPP, IFTTT, and HAP	- Detail analytics and visions to businesses based on the data gathered. -Cybersecurity: ICS Vulnerability Assessment and Risk-based compliance. -Standardization: Starting global security standards and complying with them. -Smart Experience: provide an efficient considerate of consumer product usage. -Smart manufacturing: enhanced analytics that utilized resourceful operations. -Oil & Gas: LTI’s considerate and expertise that let you get improved performance for oil and gas companies.
Mocana	Mocana corporation	Modbus, MQTT, and WebSockets,	-Full-Stack Platform -Device to Cloud Security Model -Military Evaluation -High Performance

### 4. Fog CoT Applications

Different kinds of data (e.g., sound, light, heat, electricity, mechanics, chemistry, biology, and location) can be acquired in real time by RFID technique, global position system (GPS), sensors, infrared sensors, laser scanners, gas sensors, and other devices. IoT has been involved in various application domains; for example, the applications of smart homes or smart buildings, smart cities, smart business, smart inventory, health-care, environmental monitoring, social security, surveillance. It is essential to provide the production and supply chain with the help of intelligent manufacturing [45].

Fog computing, on the other hand, introduces the same services as the cloud (compute, storage and networking) and has the same mechanisms (virtualization, multi-tenancy, etc.). These common attributes of the cloud and the fog make it possible for the developers to build

applications that operate the interact between the fog and the cloud.

Fog computing is complementary to cloud computing and can provide applications that are not suitable for centralized cloud computing:

- Applications having strict latency requirements, such as mobile gaming, video conferencing, etc. Operating these applications on the fog can improve user experience compared to the unreliable QoS produced by the cloud.
- Geo-distributed applications where the distributed data collection points spread over a huge area, for example, pipeline monitoring, or monitoring the environment by the sensors.
- Fast mobile applications connecting smart mobile users (connected vehicles, connected rail).
- large distributed control systems utilizing a huge number of sensors and actuators to enhance user experience. For

instance, smart grid connected to the rail, and smart traffic light systems [46] [47].




Figure 5 Applications of IoT supporting by fog

Table 4. IoT vertical markets and fog use cases [3] [19] [20] [21] [45] [48] [49] [50] [51] [52] :

Low Latency (a), Reduced Network Bandwidth (B), Enhanced Security and Privacy (C), Geographic Locality of Control (D), Data Rich Mobility (E), Reliability and Robustness (F), Supporting Advanced Analytics and Automation (G), Hierarchical Organization (H), Energy Efficiency (I), Environmental Constraints (J), Programmability at Multiple Levels (K), Multi-Tenancy (L), Virtualization, Orchestration, and Management (M), Scalability (N), Agility (O), Modularity (P), Openness (Q)

IoT Type	Example fog-enabled application	Limitation	Fog overcomes the limitation	Imperatives
Transportation	Smart roads, autonomous vehicles, PCT/rail, parking, UAV ground support, maritime, ports, logistics.	To work with serious and dynamic tasks during real-time vehicle tracking. Since vehicles and smart devices enter or leave from vehicular network very often, access control turns out to be an important issue in context-aware services to guard the privacy of UE.	-Smart urban surveillance based on fog computing. _ Enables multi-target tracking using a single tracking algorithm. -Attribute-based access control scheme is introduced.	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q
Utilities	Smart grid, smart meters, water distribution, sewer monitoring, energy management, renewables, Photovoltaic Installations.	_Multiple location-aware and low latency applications, where most of the smart logic analysis is executed on smart objects itself.  -Interoperability and interactivity between heterogeneous terminals in energy management platform.	Stack4Things middleware is provided to implement SAaaS (Sensing and Actuation as a Service) and Energy management as a service. _Fog computing platform offers the flexibility, interoperability, connectivity, data privacy, and real-time	A, B, C, D, F, G, H, J, L, N, O, P

			features need for energy management.	
Smart cities/smart buildings	Smart city, smart buildings, smart lighting system, emergency services, sanitation, carpeted spaces, Smart Parking, Smart Waste Management.	Difficulty and delay occur in emergency notification.	fog computing is used to reduce latency and localization needed. _ emergency events data are synchronized with the cloud for future analysis and early warning.	A, B, C, D, F, G, H, J, K, L, M, N, O, P, Q
Manufacturing	Plant automation, robotics, analytics, smart supply chain, distribution of supply chain, logistics, Temperature Monitoring.	Industrial systems consist of Cloud, DCs, edge, and terminal nodes which poses a different software environment.	_A framework, called continuous computing allows heterogenous computing environment across multi-domain applications to be provided.	A, C, F, G, H, J, K, L, M, N, O, P, Q
Retail/enterprise	Smart shop, branch-in-a-box, security, asset tracking, digital signage, analytics, thin clients, Storage Incompatibility Detection.	Deals with the different protocol and data format from smart heterogenous data sources.	_ enhanced operational platform to improve operational efficiency.	C, E, F, G, I, K, L, O
Service providers/FaaS	Smart networks, fog as a service, media caching, microcells, resiliency, mobile edge computing.	How to decide which data should transfer to the cloud or get processing in the fog layer.	_ produce a fog scheme to reduce traffic overhead, leveraging storage, and computing services toward the edge devices.	B, C, D, E, F, H, J, K, L, M, N, O, P, Q
Oil/Gas/mining	Exploration, rig-in-a-box, production monitoring, pipeline control, refinery control.	_ High data aggregation and processing capability. _ Low power consumption _ Real-time application.	_Fog provide an energy-efficient and delay-aware.	A, B, C, D, E, F, G, H, I, J, K
Healthcare	Continuous patient monitoring, aging in place, Fall Detection, cognitive assistance, exercise, Wearable Big Data Analysis.	Where to host VMD instances to serve a clinical algorithm and a bunch of related devices.	_ A fog computing-based approach is produced to get efficient resource allocation management. _ Resource optimization is considered for base Station association, task distribution, and VM placement	B, C, E, F, G, H, I, L, N
Agriculture	Irrigation, crop monitoring, yield assessment, pest control, autonomous equipment, Compost, Green Houses, meteorological Station Network.	Plant growth management and climate condition forestation in a timely and location-based manner.	Fog provides intelligent reconfiguration to save energy by ignoring unnecessary sensing and connection.	B, D, E, G, H, I, J, K, L, N, P
Government/military	Homeland Security, C4ISR, autonomous vehicles, electronic warfare, connected fighter.	Privacy and Fairness challenges.	-Vehicular fog node provides the location services by optimizing many parameters of vehicular networks. _ Several security privacy measurements are proposed. _ Fairness challenges in vehicular crowdsensing applications are proposed	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q
Residential/consumer	Home automation, residential networking, security, social media, AR, online games	Off-load the on-demand content as needed.	A gaming platform is proposed for high extensibility, portability, and reconfigurability.	A, B, C, D, E, G, I, K, L, M, N, O, P, Q

## 5. Challenges and Trends of the CoT with Fog

The cloud with the IoT integration has a lot of benefits. Specifically, it manages IoT resources and gives more low-cost configurations and well-organized IoT services. Also, CoT makes the flow of the IoT processing quick and easy.

The CoT paradigm with fog is not simple; it also handles the new challenges to the IoT environment that cannot be overcome by the centralized cloud architecture, like latency constraint, capacity constraint, resource-constrained devices, network connectivity, and security constraint [53]. Furthermore, the centralized cloud concept is not appropriate for IoT applications whose procedures are time-sensitive. There are many scenarios when a friction of milliseconds can make significant difference such as telemedicine and patient care. In addition, in the scenario of vehicle-to-vehicle communications, preventing collisions or accidents cannot accept the latency produced

by the centralized cloud. However, an improved cloud computing paradigm that enhances the capacity and latency constraints is needed to manage these challenges. Cisco in 2012 introduced fog computing to overcome most of these challenges. The service provider produces fog nodes across its geographic area which works as a service point to many tenants for many vertical markets [17].

Fog computing is a paradigm with fewer capabilities compared to the cloud in a distributed manner between various end devices and cloud computing. It introduces an efficient solution for IoT applications that need latency-sensitive. Fog computing is considered to be the basic block of cloud computing [54].

The contribution of fog computing in CoT can be summarized as follows in table 5 [1] [3] [17] [55] [56] [57] [58]:

Cloud IoT Challenge	How the Fog Can overcome the Challenge
Latency constraints	The fog performs all computation operations needed such as handling and analysing data and other time-sensitive operations near to the edge, which is the suitable solution to meet the aim of low latency of many of IoT applications.
Network bandwidth constraints	Fog computing is classified data processing toward the CoT devices. The fog permits data processing to be done relying on application needs, available networking, and computing resources. Hence, fog cuts the total of data demanded to be sent to the cloud, which saves network bandwidth.
Resource-constrained devices	Fog computing is preferred with devices that demand a lot of resources. In such devices, the procedures cannot be uploaded to the cloud. Hence, this results in dropping devices' complexity, lifecycle costs, and power consumption.
Uninterrupted services	Fog computing can work alone with IoT devices even though the connection with the cloud has been disconnected.
IoT security and privacy challenges	Fog computing acts as the proxy for IoT devices to update the software of these devices and security credentials. The fog also uses to monitor the security status of devices under controlled area.

Mobility	Fog provides an important aspect to the applications which is the connection to mobile devices and though produces mobility parameters like locator ID and separation protocol (LISP) which needs a distributed directory system.
Heterogeneity constraint	Fog nodes are designed by diverse constructors' providers and come in various patterns and demand to be deployed depending on their relevant platforms. So, the fog nodes have the capability to work on different platforms.
Interoperability constraint	Fog nodes can interoperate with different vertical market domains and across various service providers.
Real-time interactions	Fog computing applications produce real-time interworking among fog nodes in addition to the processing done in the cloud.
Distributed Data Analysis	Fog nodes perform monitoring and analysis of IoT devices' data in a distributed way, so detection and transition of incorrect data can be avoided in a timely manner.
Local Autonomous Operations	Fog nodes provide autonomous operations and self-decision to reduce the amount of data that needs to be sent to the central cloud, as a result of decreasing the latency in the communication and enhancing the response time in case of network failures.
Federation	The federation of many domains as a part of the fog system suitable conformation mechanisms for the applications' components, such a conformation should be performed in a well-defined order with respect to the business functionality of the application.
Power Management constraint	The IoT devices are battery-powered, so low-power system consumption is a major requirement. Many mechanisms can be approved to reduce the power consumption while modelling the IoT devices that use a wireless network.

There are a lot of challenges for existing CoT with fog structure that need to improve [59] [60]:

- Standardization (lack of it).
- Heterogeneity network, load or route management, and balancing traffic load.
- Context awareness of IoT sensors and IoT data node identity.

- Data analytics (a lot of IoT platforms support real-time but interactive data is also important).
- Benchmark platform (to measure and analyze the system performance and fault recovery).
- Other issues (the concern about stored personal data, energy management data and security issues).

## 6. Conclusion

With the increase in the number of devices that are communicated to the Internet through the cloud, there is a strong demand for a computing paradigm like a fog computing to perform the computations and storage at the edge of the network near the terminal devices. This review introduced the concept of fog computing, which acts as an enabler for delay-sensitive data services, giving a better solution for the users in several circumstances. By implementing the edge devices paradigm like the fog computing nodes, IoT will be able to satisfy the corporations' needs with reliability. This overview also introduced IoT diagrams, fog and cloud platforms, and IoT applications. Finally, several roles and challenges of fog computing in CoT systems are summarized. As consequences of the Characteristics that need to be improved in existing COT with fog, there are still a lot of trends need more researches and work to improve the QoS and produce effective analytics to the fog and CoT integration to serve all IoT application domains efficiently.

## References

- [1] M. M. S. M. G. Ms. Pooja, "Interconnected Smart Objects: Era of Internet of Things," *International Journal of Advanced Research in Computer Engineering & Technology*, vol. 3, no. 6, pp. 2041-2046, 2014.
- [2] A. P. R. D. P. a. M. S. Maurizio Giacobbe\*, "A Context-aware Strategy To Properly Use IoT-Cloud Services," *IEEE*, 2017.
- [3] "A Survey on the Edge Computing for the Internet of Things," *a future issue*, 2017.
- [4] G. P. Sandeep Ravikanti, "Future's Smart Objects in IOT, Based on Big-Data and Cloud Computing Technologies," *International Journal of Innovative Research in Computer and Communication Engineering*, vol. 3, no. 7, pp. 6808-6817, 2015.
- [5] P. K. a. S. U. K. Arslan Munir, "IFCIoT: Integrated Fog Cloud IoT Architectural Paradigm for Future Internet of Things," p. 9, 2017.
- [6] M. B. 2. a. H. K. Suk Kyu Lee 1, "Future of IoT Networks: A Survey," *Applied Sciences*, p. 25, 2017.
- [7] U. B. M. F. P. F. O. K. F. L. L. R. Jasmin Guth, "A Detailed Analysis of IoT Platform Architectures: Concepts, Similarities, and Differences," *Institute of Architecture of Application Systems, Springer*, pp. 81-10, 2018.
- [8] P. S. a. S. R. Sarangi, "Internet of Things: Architectures, Protocols, and Applications," *Hindawi Journal of Electrical and Computer Engineering*, p. 26, 2017.
- [9] N. B. a. F. Kuipers, "SDN and virtualization solutions for the Internet of Things: A survey," *DOI 10.1109/ACCESS.2016.2607786, IEEE Access*, p. 15, 2016.
- [10] M.-Y. C. J. H. P. Pradip Kumar Sharma, "A Software Defined Fog Node based Distributed Blockchain Cloud Architecture for IoT," *DOI 10.1109/ACCESS.2017.2757955, IEEE*, 2017.
- [11] "Integration of Cloud Computing and Internet of Things: a Survey," *Journal of Future Generation Computer Systems September*, p. 54, 2015.
- [12] P. P. H. E.-N. H. Mohammad Aazam, "Cloud of Things: Integrating Internet of Things with Cloud Computing and the Issues Involved," *Proceedings of International Bhurban Conference on Applied Sciences & Technology*, 2014.
- [13] R. M. Q. C. a. R. B. Adel Nadjaran Toosi, "Chapter 4 Management and Orchestration of Network Slices in 5G, Fog, Edge and Clouds".
- [14] H.-L. T. a. D. T. Y. Phu H. Phung, "P4SINC – An Execution Policy Framework for IoT services in the edge," p. 6.
- [15] H.-L. T. a. S. Dustdar, "Principles for Engineering IoT Cloud Systems," *THE IEEE COMPUTER SOCIETY*, 2015.
- [16] F. C. A. J. X. M.-B. JASENKA DIZDAREVIĆ, "A Survey of Communication Protocols for Internet-of-Things and Related Challenges of Fog and Cloud Computing Integration," *ACM Computing Surveys*, vol. 1, no. 1, April 2018.
- [17] R. J. a. G. B. W. Hany F. Atlam, "Fog Computing and the Internet of Things: A Review," *Big Data Cognitive Computing*, 2018.
- [18] N. C. A. Y. N. ABEBE ABESHU DIRO, "Analysis of Lightweight Encryption Scheme for Fog-to-Things Communication," *IEEE Access SPECIAL SECTION ON REAL-TIME EDGE ANALYTICS FOR BIG DATA IN INTERNET OF THINGS*, vol. 6, pp. 2169-3536, 5 June 2018.
- [19] W. d. D. V. P. A. P. Alessio Botta, "On the Integration of Cloud Computing and Internet of Things".
- [20] "CCIoT-CMfg: Cloud Computing and Internet of Things-Based Cloud Manufacturing Service System," *IEEE Transactions on Industrial Informatics*, 2014.

- [21] Y. Q. ., R.-M. ., V. Charith Perera, "Fog Computing for Sustainable Smart Cities: A Survey," *ACM Computing Surveys*, 2017.
- [22] b. . \*, J. P. a. ., M. P. A. c. ., P. M. a. ., Q. R. M. a. ., B. a. ., D. c. ., P. Everton Cavalcante a, "On the interplay of Internet of Things and Cloud Computing: A systematic mapping study," *Computer Communications*, 2016.
- [23] V. C. U. S. T. J. W. S. G. Sugam Sharma, "Cloud-based Emerging Services Systems," p. 19.
- [24] G. Merlino, "SENSING AND ACTUATION AS A SERVICE, A DEVICE-CENTRIC PARADIGM FOR THE IOT: ANALYSIS, DESIGN AND CASE STUDIES".
- [25] S. N. S. a. R. B. Chii Chang, "Chapter 1 Internet of Things (IoT) and New Computing Paradigms," in *Fog and Edge Computing: Principles and Paradigms*, Wiley STM, 2018.
- [26] D. DHOLAKIA, "Backing up SaaS Apps: Native, SaaS or DRaaS?," Spanning, 1 10 2018. [Online]. Available: <https://spanning.com/blog/backing-up-saas-apps-native-saas-or-draas/>. [Accessed 5 October 2018].
- [27] B. O. Business, "All about Anything-as-a-Service," 20 2 2018. [Online]. Available: <https://www.optus.com.au/enterprise/accelerate/technology/all-about-anything-as-a-service>. [Accessed 16 10 2018].
- [28] R. M. P. N. a. J. Z. Flavio Bonomi, "Fog Computing: A Platform for Internet of Things and Analytics," *Springer International Publishing Switzerland*, 2014.
- [29] S. K. G. G. R. M. P. H. D. K. M. V. K. Rabindra K. Barik, "FogGrid: Leveraging Fog Computing for Enhanced Smart Grid Network," in *NDICON-2017 14TH IEEE India Council International*, IIT Roorkee, India, 2017.
- [30] L. F. R. B. M. J. M. N. G. C. M. Michaela Iorga, "Fog Computing Conceptual Model Recommendations of the National Institute of Standards and Technology," NIST Special Publication 500-325, March 2018.
- [31] J. Lee, "How to Choose the Right IoT Platform: The Ultimate Checklist," Hacker Noon, 25 April 2018. [Online]. Available: <https://hackernoon.com/how-to-choose-the-right-iot-platform-the-ultimate-checklist-47b5575d4e20>. [Accessed 25 September 2018].
- [32] t. I. 2. p. t. i. t. I. M. S. B. (MSB), "IoT 2020: Smart and secure IoT platform, white paper," IEC, Walldorf, DE, 2016.
- [33] "General IoT Platform/Service Framework," Binary Semantics, [Online]. Available: <https://www.binarysemantics.com/product-development/iot-platform-and-service-framework.html>.
- [34] P. Scully, "5 Things To Know About The IoT Platform Ecosystem," IoT Analytics, 26 January 2016. [Online]. Available: <https://iot-analytics.com/5-things-know-about-iot-platform/>. [Accessed 17 October 2018].
- [35] S. Singh, "Internet of Thongs WIKI," 2018. [Online]. Available: <https://internetofthingswiki.com/top-20-iot-platforms/634/>. [Accessed 2 September 2018].
- [36] A. I. Property, "What you need to know about IoT platforms," Moblize your world, 2017.
- [37] P. P. Ray, "A Survey of IoT Cloud Platforms," *Future Computing and Informatics Journal*, p. 11, 2017.
- [38] U. B. M. F. F. L. a. L. R. Jasmin Guth, "Comparison of IoT Platform Architectures: A Field Study based on a Reference Architecture," *978-1-5090-4960-8/16/\$31.00 2016 IEEE*, p. 6, 2016.
- [39] G. M. X. M. a. E. P. Evangelos Markakis, *Cloud and Fog Computing in 5G Mobile Networks*, London: The Institution of Engineering and Technology, 2017.
- [40] J. B. ., J. C. ., M. D. ., L. L. ., B. Luis Alonso, "Middleware and communication technologies for structural health monitoring of critical infrastructures: A survey," *Computer Standards & Interfaces*, pp. 83-100, 2017.
- [41] S. Amyx, "67 open source tools and resources for IoT," TechBeacon, [Online]. Available: <https://techbeacon.com/67-open-source-tools-resources-iot>. [Accessed 13 October 2018].
- [42] "IoT Cloud Platform Landscape," Postscapes, [Online]. Available: <http://postscapes2.webhook.org/internet-of-things-platforms>. [Accessed 1 October 2018].
- [43] H. H. L. L. K. F. Biliyaminu Umar, "Evaluation of IoT Device Management Tools," in *The Third International Conference on Advances in Computation, Communications and Services*, 2018.
- [44] M. S. & B. R. Kavitha, "A SURVEY ON IOT PLATFORM," *International Journal of Scientific Research and Modern Education*, vol. 1, no. 1, p. 6, 2016.
- [45] S. K. G. K. H. F. S. Fatemeh Jalali, "Greening IoT with Fog: A Survey," *1st International Conference on Edge Computing*, 2017.
- [46] S. C. S. K. G. Harshit Gupta, "Chapter 1 Fog Computing in 5G Networks: An Application Perspective," p. 36, 2016.
- [47] S. Buyya, "Chapter9 Predictive Analysis to Support Fog Application Deployment," in *Fog and Edge Computing: Principles and Paradigms*, Wiley STM.
- [48] A. R. G. I. S. D. Imtiaz Parvez, "A Survey on Low Latency Towards 5G: RAN, Core Network and Caching Solutions," 2017.

- [49] [Online]. Available:  
[http://www.libelium.com/resources/top\\_50\\_iiot\\_sensors\\_or\\_applications\\_ranking/](http://www.libelium.com/resources/top_50_iiot_sensors_or_applications_ranking/).
- [50] Y. M. Y. L. D. W. Y. Z. a. C.-H. Y. Min Chen, "Wearable 2.0: Enabling Human-Cloud Integration in Next Generation Healthcare Systems," *IEEE Communications Magazine*, 2017.
- [51] K. Z. L. (. S. Jianbing Ni, "Securing Fog Computing for Internet of Things Applications: Challenges and Solutions," *a future issue*, 2017.
- [52] L. S. a. D. W. Mithun Mukherjee, "Survey of Fog Computing: Fundamental, Network Applications, and Research Challenges," *DOI 10.1109/COMST.2018.2814571, IEEE Communications Surveys & Tutorials*, p. 30, 2018.
- [53] C. F. T. N. K. K. Ashkan Yousefpour, "All One Needs to Know about Fog Computing and Related Edge," 6 September 2018.
- [54] O. F. M. M. M. F. Z. Richard Olaniyana, "Opportunistic Edge Computing: Concepts, Opportunities and Research Challenges," *Preprint submitted to Elsevier*, p. 22, 26 July 2018.
- [55] L. D. X. S. Z. Shancang Li, "5G Internet of Things: A Survey," *Journal of Industrial Information Integration*, 2018.
- [56] T. W. B. V. a. F. D. T. José Santos, "Fog Computing: Enabling the Management and Orchestration of Smart City Applications in 5G Networks," *Entropy*, vol. 20, no. 4, p. 26, 23 december 2017.
- [57] D. N. S. Y. R. H. G. M. J. M. a. P. A. P. Carla Mouradian, "A Comprehensive Survey on Fog Computing: State-of-the-art and Research Challenges," *IEEE Communications Surveys & Tutorials*.
- [58] A. A. C. H. a. X. C. Arwa Alrawais, "Fog Computing for the Internet of Things: Security and privacy Issues," *IEEE Computer Society*, p. 9, 2017.
- [59] F. Kiani, "A Survey on Management Frameworks and Open Challenges in IoT," *Wireless Communications and Mobile Computing*, Hindawi, p. 33, 2018.
- [60] R. L. DUMITRU, "IoT Platforms: Analysis for Building Projects," *Informatica Economică*, vol. 21, no. 2, p. 10, 2017.