

- m-healthcare social networks,” *Inf. Sci. (Ny)*, vol. 314, no. September, pp. 255–276, 2015, doi: 10.1016/j.ins.2014.09.003.
- [26] S. J. Hussain, M. Irfan, N. Z. Jhanjhi, K. Hussain, and M. Humayun, “Performance Enhancement in Wireless Body Area Networks with Secure Communication,” *Wirel. Pers. Commun.*, vol. 116, no. 1, pp. 1–22, 2021, doi: 10.1007/s11277-020-07702-7.
- [27] M. Shuai, B. Liu, N. Yu, L. Xiong, and C. Wang, “Efficient and privacy-preserving authentication scheme for wireless body area networks,” *J. Inf. Secur. Appl.*, vol. 52, p. 102499, 2020, doi: 10.1016/j.jisa.2020.102499.
- [28] R. Wang and G. R. Tsouri, “Securing while sampling in wireless body area networks with application to electrocardiography,” *IEEE J. Biomed. Heal. Informatics*, vol. 20, no. 1, pp. 135–142, 2016, doi: 10.1109/JBHI.2014.2366125.
- [29] C. C. Y. Poon, Y. T. Zhang, and S. Di Bao, “A novel biometrics method to secure wireless body area sensor networks for telemedicine and M-health,” *IEEE Commun. Mag.*, vol. 44, no. 4, pp. 73–81, 2006, doi: 10.1109/MCOM.2006.1632652.
- [30] B. Narwal and A. K. Mohapatra, “SAMAKA: Secure and Anonymous Mutual Authentication and Key Agreement Scheme for Wireless Body Area Networks,” *Arab. J. Sci. Eng.*, vol. 46, no. 9, pp. 9197–9219, 2021, doi: 10.1007/s13369-021-05707-3.
- [31] R. Nidhya and S. Karthik, “Security and privacy issues in remote healthcare systems using wireless body area networks,” *EAI/Springer Innov. Commun. Comput.*, pp. 37–53, 2019, doi: 10.1007/978-3-030-00865-9_3.
- [32] M. S. Arshad Malik, M. Ahmed, T. Abdullah, N. Kousar, M. N. Shumaila, and M. Awais, “Wireless body area network security and privacy issue in E-healthcare,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 9, no. 4, pp. 209–215, 2018, doi: 10.14569/IJACSA.2018.090433.
- [33] P. T. Sharavanan, D. Sridharan, and R. Kumar, “A Privacy Preservation Secure Cross Layer Protocol Design for IoT Based Wireless Body Area Networks Using ECDSA Framework,” *J. Med. Syst.*, vol. 42, no. 10, 2018, doi: 10.1007/s10916-018-1050-2.
- [34] B. Latré, B. Braem, I. Moerman, C. Blondia, and P. Demeester, “A survey on wireless body area networks,” *Wirel. Networks*, vol. 17, no. 1, pp. 1–18, 2011, doi: 10.1007/s11276-010-0252-4.
- [35] L. Ma, Y. Ge, and Y. Zhu, “TinyZKP: A lightweight authentication scheme based on zero-knowledge proof for wireless body area networks,” *Wirel. Pers. Commun.*, vol. 77, no. 2, pp. 1077–1090, 2014, doi: 10.1007/s11277-013-1555-4.
- [36] K. S. Raja and U. Kiruthika, “An Energy Efficient Method for Secure and Reliable Data Transmission in Wireless Body Area Networks Using RelAODV,” *Wirel. Pers. Commun.*, vol. 83, no. 4, pp. 2975–2997, 2015, doi: 10.1007/s11277-015-2577-x.
- [37] Feng Tao Muhammad Shoaib Akhtar Zhang Jiayuan Year: 2021 The future of Artificial Intelligence in Cybersecurity: A Comprehensive Survey CT EAI DOI: 10.4108/eai.7-7-2021.170285
- [38] T. Hayajneh, B. J. Mohd, M. Imran, G. Almashaqbeh, and A. V. Vasilakos, “Secure authentication for remote patient monitoring with wireless medical sensor networks,” *Sensors (Switzerland)*, vol. 16, no. 4, pp. 1–25, 2016, doi: 10.3390/s16040424.
- [39] Muhammad Shoaib Akhtar, Tao Feng, “Deep Learning-Based Framework for the Detection of Cyberattack Using Feature Engineering”, *Security and Communication Networks*, vol. 2021, Article ID 6129210, 12 pages, 2021. <https://doi.org/10.1155/2021/6129210>