













- [23] Baveye, Y. (2015). Automatic prediction of emotions induced by movies (Doctoral dissertation, Ecole Centrale de Lyon).
- [24] Soleymani, M., Kierkels, J. J., Chanel, G., & Pun, T. (2009). A bayesian framework for video affective representation. In *Affective Computing and Intelligent Interaction and Workshops, 2009. ACII 2009. 3rd International Conference on* (pp. 1-7). IEEE.
- [25] Malandrakis, N., Potamianos, A., Evangelopoulos, G., & Zlatintsi, A. (2011). A supervised approach to movie emotion tracking. In *Acoustics, Speech and Signal Processing (ICASSP), 2011 IEEE International Conference on* (pp. 2376-2379). IEEE.
- [26] Harel, J., Koch, C., & Perona, P. (2006). Graph-based visual saliency. In *Advances in neural information processing systems* (pp. 545-552).
- [27] Schaaff, K. (2008). EEG-based emotion recognition. Universitat Karlsruhe (TH).
- [28] Horlings, R., Datcu, D., & Rothkrantz, L. J. (2008). Emotion recognition using brain activity. In *Proceedings of the 9th international conference on computer systems and technologies and workshop for PhD students in computing* (p. 6). ACM.
- [29] Valenza, G., Lanata, A., & Scilingo, E. P. (2012). The role of nonlinear dynamics in affective valence and arousal recognition. *Affective Computing, IEEE Transactions On*, 3(2), 237-249.