

















- housing electrification in Solar: *Energies*. 2013; 61:108–115.
- [5] Khatib, T, Elmenreich, W. Modeling of photovoltaic systems using Matlab: *Int. J. Renew. Energy Res.*. 2016; 15(1): 121-127.
- [6] Bharadwaj, P, John, J. Subcell modeling of partially shaded solar photovoltaic panels. *Solar Energy: Energies*. 2017; 55(3): 61-69.
- [7] Diaz-Dorado, E, Suárez-García, A, Carrillo, C, Cidras, J. Influence of the shadows in photovoltaic systems with different configurations of bypass diodes: *Int. J. Power Electron. Drive Syst.*. 2014; 11(3): 134–139.
- [8] Gamba, J, C, Romero, A, Hernandez, J. Development of a photovoltaic panel model to find the solar cells optimal reconfiguration under partial shading conditions: *Int. J. Nanoparticles*. 2015; 14: 126-136.
- [9] Landsberg, P, T, Markvart, T. Ideal Efficiencies in Practical Handbook of Photovoltaics: Sustainable Energy Technologies and Assessments. 2022; 27(11): 123-134.
- [10] Riaz, A, Liang, R, Zhou, C, Zhang, J. A review on the application of photovoltaic thermal systems for building façades: *Build Serv Eng Res Technol*. 2020; 41(1): 86–107.
- [11] Diwania, S, Agrawal, S, Siddiqui, A, S, Singh, S. Photovoltaic–thermal (PV/T) technology: a comprehensive review on applications and its advancement: *IJEE*. 2020; 11(3): 33–54.
- [12] Ahmed, A, J, Hossain, M, S, A, Kazi Nazrul Islam, S, M. Significant improvement in electrical conductivity and Figure of Merit of nanoarchitecture porous SrTiO<sub>3</sub> by La doping optimization: *ACS Appl. Mater. Interfaces* 2020; 12(25): 126-134.
- [13] Ahmed, A, J, Nazrul Islam, S, M, K, Hossain, R. Enhancement of thermoelectric properties of La-doped SrTiO<sub>3</sub> bulk by introducing nanoscale porosity: *Royal Society Open Science*. 2019; 6(10): 123-130.
- [14] Al-Waeli, A, H, A, Sopian, K, Yousif, J, H, Kazem, H, A, Boland, J, Chaichan, M, T. Artificial neural network modeling and analysis of photovoltaic/thermal system based on the experimental study: *Energy Convers. Manag.* . 2019; 186: 368–379.
- [15] Arefin, M, A. Analysis of an integrated photovoltaic thermal system by top surface natural circulation of water: *Frontiers in Energy Research*. 2019; 7(3): 126-134.
- [16] Anjum, S, Mukherjee, V, Mehta, G. Modelling and simulation of AdDoKu based reconfiguration technique to harvest maximum power from photovoltaic array under partial shading conditions: *Simul Model Pract Theory* .2022; 17: 115-140.