





















- [14] Arsénio, P, Silva, T, Vilhena, N, Pina, J, M, Pronto, A. Analysis of characteristic hysteresis loops of magnetic shielding inductive fault current limiters: IEEE Trans. Appl. Supercond. 2015; 23(3): 276-285.
- [15] Tihanyi, V, Gyore, A, Vajda, I. Multiphysical finite element modeling of inductive type fault current limiters and self limiting transformers: IEEE Trans. Appl. Supercond. 2009; 19(3): 1922–1925.
- [16] Soldooy, A, Esmaeli, A, Akbari, H, Mazloom, S, Z. Implementation of tree pruning method for power transformer design optimization: Int. Trans. Electr. 2018; 29(2): 434-467.
- [17] Jabr, R, A. Application of Geometric Programming to Transformer Design: IEEE Trans. on Mag. 2005; 41(11): 4261–4269.
- [18] Baodong, B, Dexin, X, Jiefan, C, Mohammed, O, A. Optimal transposition design of transformer windings by Genetic Algorithms: IEEE Trans. on Mag. 1995; 31: 3572–3574.
- [19] Yadollahi, M., Lesani, H. Power transformer optimal design (PTOD) using an innovative heuristic method combined with FEM technique: Int. J. Electr. Eng. 2018; 100(4): 823–838.
- [20] Taguchi, G. Systems of experimental design engineering methods to optimize quality and minimize costs: Int. Review of Electr. Eng. 2021; 7(3): 185-195.