

























- [27] H. Liu, P. Zhu, Y. Chen and M. Huang, "Power Allocation for Downlink Hybrid Power Line and Visible Light Communication System," in *IEEE Access*, vol. 8, pp. 24145-24152, 2020. doi: 10.1109/ACCESS.2020.2970097
- [28] P. H. Pathak, X. Feng, P. Hu and P. Mohapatra, "Visible Light Communication, Networking, and Sensing: A Survey, Potential and Challenges," in *IEEE Communications Surveys & Tutorials*, vol. 17, no. 4, pp. 2047-2077, Fourthquarter 2015. doi: 10.1109/COMST.2015.2476474
- [29] W. Niu *et al.*, "Neural-Network-Based Nonlinear Tomlinson-Harashima Precoding for Bandwidth-Limited Underwater Visible Light Communication," in *Journal of Lightwave Technology*, vol. 40, no. 8, pp. 2296-2306, 15 April 2022. doi: 10.1109/JLT.2021.3138998
- [30] H. Ma, L. Lampe and S. Hranilovic, "Hybrid visible light and power line communication for indoor multiuser downlink," in *Journal of Optical Communications and Networking*, vol. 9, no. 8, pp. 635-647, Aug. 2017. doi: 10.1364/JOCN.9.000635
- [31] A. Sevincer, A. Bhattarai, M. Bilgi, M. Yuksel and N. Pala, "LIGHTNETs: Smart LIGHTing and Mobile Optical Wireless NETWORKS — A Survey," in *IEEE Communications Surveys & Tutorials*, vol. 15, no. 4, pp. 1620-1641, Fourth Quarter 2013. doi: 10.1109/SURV.2013.032713.00150
- [32] Y. Wang, J. Yu and N. Chi, "Symmetrical full-duplex integrated passive optical network and optical wireless communication transmission system," in *Journal of Optical Communications and Networking*, vol. 7, no. 7, pp. 628-633, July 2015. doi: 10.1364/JOCN.7.000628
- [33] M. Morales-Céspedes, M. C. Paredes-Paredes, A. García Armada and L. Vandendorpe, "Aligning the Light Without Channel State Information for Visible Light Communications," in *IEEE Journal on Selected Areas in Communications*, vol. 36, no. 1, pp. 91-105, Jan. 2018. doi: 10.1109/JSAC.2017.2774518
- [34] S. Rajbhandari *et al.*, "High-Speed Integrated Visible Light Communication System: Device Constraints and Design Considerations," in *IEEE Journal on Selected Areas in Communications*, vol. 33, no. 9, pp. 1750-1757, Sept. 2015. doi: 10.1109/JSAC.2015.2432551
- [35] Badeel, R.; Subramaniam, S.K.; Hanapi, Z.M.; Muhammed, A. A Review on LiFi Network Research: Open Issues, Applications and Future Directions. *Appl. Sci.* 2021, *11*,11118. doi.org/10.3390/app112311118
- [36] T. -C. Lin *et al.*, "Large-Signal Modulation Performance of Light-Emitting Diodes With Photonic Crystals for Visible Light Communication," in *IEEE Transactions on Electron Devices*, vol. 65, no. 10, pp. 4375-4380, Oct. 2018. doi: 10.1109/TED.2018.2864346
- [37] R. Singh, T. O'Farrell and J. P. R. David, "An Enhanced Color Shift Keying Modulation Scheme for High-Speed Wireless Visible Light Communications," in *Journal of Lightwave Technology*, vol. 32, no. 14, pp. 2582-2592, 15 July 2014. doi: 10.1109/JLT.2014.2328866
- [38] D. Milovančev, N. Vokić, H. Hübel and B. Schrenk, "Gb/s Visible Light Communication With Low-Cost Receiver Based on Single-Color LED," in *Journal of Lightwave Technology*, vol. 38, no. 12, pp. 3305-3314, 15 June 2020. doi: 10.1109/JLT.2020.2994974
- [39] M. R. Krames, H. Amano, J. J. Brown and P. L. Heremans, "Introduction to the issue on high-efficiency light-emitting diodes," in *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 8, no. 2, pp. 185-188, March-April 2002. doi:10.1109/2944.999171
- [40] Raffaele Conti, Alfonso Gambardella, Elena Novelli (2019) Specializing in Generality: Firm Strategies When Intermediate Markets Work. *Organization Science* 30(1):126-150. <https://doi.org/10.1287/orsc.2018.1243>
- [41] M. A. Arfaoui *et al.*, "Invoking Deep Learning for Joint Estimation of Indoor LiFi User Position and Orientation," in *IEEE Journal on Selected Areas in Communications*, vol. 39, no. 9, pp. 2890-2905, Sept. 2021. doi: 10.1109/JSAC.2021.3064637
- [42] A. Gupta, N. Sharma, P. Garg, D. N. K. Jayakody, C. Y. Aleksandrovich and J. Li, "Asymmetric Satellite-Underwater Visible Light Communication System for Oceanic Monitoring," in *IEEE Access*, vol. 7, pp. 133342-133350, 2019. doi: 10.1109/ACCESS.2019.2936422
- [43] Y. Wang, X. Wu and H. Haas, "Load Balancing Game With Shadowing Effect for Indoor Hybrid LiFi/RF Networks," in *IEEE Transactions on Wireless Communications*, vol. 16, no. 4, pp. 2366-2378, April 2017. doi: 10.1109/TWC.2017.2664821
- [44] Z. Wang, J. Shi, Y. Wang *et al.*, "2.0-gb/s visible light link based on adaptive bit allocation OFDM of a single phosphorescent white led," *IEEE Photonics Journal*, vol. 7, no. 5, pp. 1-8, 2015.
- [45] C. Ribeiro, M. Figueiredo, and L. N. Alves, "Live demonstration: 150mbps+ DCO-OFDM VLC," in 2016 IEEE International Symposium on Circuits and Systems (ISCAS), vol. 457, Montreal, QC, Canada, May 2016.
- [46] S. Fuada, T. Adiono, and R. A. Saputro, "Rapid development of system-on-chip (soc) for network-enabled visible light communications," *International Journal of Recent Contributions from Engineering, Science & IT (iJES)*, vol. 6, no. 1, pp. 107-119, 2018.
- [47] F. Ismail, S. Fuada, T. Adiono, and E. Setiawan, "Prototyping the Li-Fi system based on IEEE 802.15.7 PHY.II.1 standard compliance," *Journal of Communications*, vol. 15, pp. 519-527, 2020.