

Tracking Scan Path (ETSP) pictures made from the eye-tracking data of 59 people who took part in a test employing a variety of autistic-precise visual stimuli delivered by an SMI RED eye tracker.

Table 1. Classification accuracy using ABIDE-1 consortium.

Method	Accuracy	Sensitivity	Specificity
ASD-DiagNet[13]	67.5	63.4	71.5
SVM[13]	67.5	63.9	70.9
Random forest[13]	65	56.8	72.7

Table 2. Analysis of classifier performance.

Classifier	Sensitivity %	Specificity %	PPV %	NPV %	AUC %
DSVM[11]	44.06	55.55	52.0	47.61	51.50
DNN[11]	78.57	75.47	87.12	62.50	78.00
DNN-Augmented dataset[11]	93.28	91.38	94.46	90.06	97.00

3. Deep Learning-Based Models

According to sophisticated MRI techniques, a significant rise in neuropsychiatric illnesses has been observed recently. In applications involving Clinical Picture Examination, deep learning, a machine learning subfield, is increasingly being employed. Using a mix of information, the author claims that a Deep Belief Network was used to categorize and represent learning activities [17]. The DBN was used in order to concentrate on the fusion of rsfMRI, grey matter, and white matter information. The author [18] presented a DBN for ASD classification. Based on fMRI the author [19] recommended a powerful federated multi-task learning system to mutually diagnose many linked mental diseases. To reduce the optimization of personalized conflicts caused by modifying shared parameters in MTL. Additionally, the suggested system offers useful modules like federated biomarker interpretation, personalized model learning, and privacy protection. The author [20] applies deep learning about how to hereditary information from a huge number of simplex families in danger of ASD to recognize contributing changes and to make a high-level symptomatic classifier for mental imbalance screening. Profound brain networks

outflank shallow AI models on perplexing and high-layered information. The author [21] suggests that face recognition with a transferable acquiring system has been enhanced to find autistic children early on. To more accurately recognize kids with ASD in the beginning phases.

The deep belief network was used by the author [19] to develop a unique graph-based categorization model. A diagram expansion of K-nearest neighbors is used to pick the notable connectedness capabilities. In order to locate patients with ASD considering a sizable cerebral scan sample, the author [20] employed graph representation learning methods. Brain functional connectivity patterns are primarily used to diagnose ASD since it is characterized by social difficulties and recurrent behavioral symptoms. The core of ASD categorization consists of efforts to identify the brain patterns that resulted from ASD. Here it is asserted that learning techniques using graph representations are suitable for taking into account the brain's connection patterns. These techniques are capable of capturing both the regional and global aspects of the entire brain structure. The intricacy and worldwide aspects of the cerebrum organization have been disregarded in several conventional methods that have been put out in recent years. The majority of deep learning-based techniques typically require numerous parameter adjustments throughout the learning process.

The Author [21] presented a Deep-broad learning technique to learn the computational interconnectivity architecture of the more advanced neural properties to aid in the findings of ASD in order to get around the issues discussed prior. Table 3 shows the performance of different classifiers using deep learning techniques. There are 3,014 faces in this dataset, including 1,507 autistic children and 1,507 typically developing youngsters. The structure of this study is based on the VGG16 and Xception models. The VGG16 model showed the highest rate of performance. The Xception classifier showed the most noteworthy rate of specificity. One of the most well-known deep learning techniques is CNN. Prioritizing learnable weights and biases, it uses the information picture to determine the class of the picture. The connection and communication between cells inside the mathematical decrease in the number of parameters through the maximum amount of pooling and average pooling techniques. In their study presented at the 13th International Conference on Computing Communication and Networking Technologies, Vikas et al. (2022) examined the classification of agricultural land using machine learning algorithms. The research, illustrated using Zhashui County as an example, established a Rating Factor System through methods

like the Delphi method and straight-line method. They assessed various factors related to the land, calculating a classification index and achieving preliminary land classification. Furthermore, the study emphasized the role of weather and soil characteristics in agricultural decision-making, highlighting the potential for more accurate and cost-effective land classification through satellite images and machine learning algorithms [22]. In their book "Decision Making And Problem Solving," Shetkar and Mohanty (2021) explore the need for robust information processing and decision-making strategies in today's complex economic landscape. They emphasize the potential for enhancing decision-making abilities by tapping into the innate capacities of the brain. The authors introduce the concept of the mid-brain connective, proposing a model that focuses on optimizing the connections and integrations between the mind, brain, and body. This approach aims to empower individuals for more effective decision-making, ultimately contributing to their overall well-being [23].

3.1. Xception Model

A deep CNN called Xception offers new inception layers. A pointwise convolution layer is added after the inception layers, which are constructed from depth-wise convolution layers with 71 layers. The size of the Xception model is 88MB and 22.8 million parameters. The 299x299 input image size is the standard for this model. Convolutions that are Depth Wise Separable are alternatives to traditional convolutions that are ostensibly significantly faster to compute.

3.2. Visual Geometry Group Network Model

This algorithm, which depends on the CNN method and is frequently used on ImageNet, is advantageous for its simplicity. In VGG19, max-pooling is used as an assigner to minimize the input volume size. Neurons adopted the VGG19 framework to connect each layer to the others. The 138 million parameters that makeup VGGNet-16 can be a little difficult to manage. VGG is possible with transfer learning. In which the parameters are updated for improved accuracy, and you can use the parameter values once the model has been trained on a dataset.

3.3. MobileNet

In order to filter images, MobileNet uses the same convolution technique as CNN, but with a different method than how CNN did it before. In contrast to the

standard convolution carried out by conventional CNNs, it makes use of the concepts of depth convolution and point convolution. As a result, CNN is better able to predict images, enabling them to compete in mobile systems equally.

Table 3. Testing results for the deep learning models.

Classifiers	Performance			
Deep Belief Network[20]	Accuracy-65%			
Multitask learning framework[19]	Accuracy-83.29%			
CNN –Genotype-based Deep learning[21]	Accuracy-88.56%			
KNN-MobileNet	Accuracy-92.10%			
CNN[18]	Model	Accuracy		
	NASNET	78%		
	VGG19	80%		
	InceptionV3	89%		
	Xception	91%		
	MobileNet	95%		
CNN-Flask framework[21][18]	Model	Accuracy	Specificity	Sensitivity
	Xception	94%	95%	89%
	VGG16	95%	80%	78%

4. Conclusion

Numerous speculations of ASD center around a solitary framework or component as an illustrative instrument for mental imbalance side effects and conduct. Nonetheless, there is developing acknowledgment that ASD is a convoluted, multisystem neurodevelopmental condition with beginnings in pre-birth origins. Multiple cognitive domains and brain systems are impacted by autism, a complicated neurodevelopmental condition. According to the above-mentioned literature, children with autism have different facial characteristics than those typically developing's who are of a similar age and gender. Using Machine Learning techniques DNN showed the highest performance rate with the augmented dataset but when working with a small dataset, using a Deep Neural Network (DNN) algorithm in machine learning can present challenges. Furthermore, CNN's capacity for visual recognition may help assist in the early detection of ASD in children using Deep learning techniques with more samples. In light of the aforementioned findings, we set out to construct a perfect CNN framework that can

identify the characteristics of children with autism with the highest degree of sensitivity and specificity using face images.

References

- [1] Wingfield, Benjamin, et al. "A predictive model for pediatric autism screening." *Health informatics journal* vol. 26,4 (2020): 2538-2553. doi:10.1177/1460458219887823.
- [2] Shahamiri, Seyed Reza, and Fadi Thabtah. "Autism AI: a new autism screening system based on artificial intelligence." *Cognitive Computation* 12.4 (2020): 766-777.
- [3] Wang, Haishuai & Avillach, Paul. (2020). Autism Spectrum Disorders Classification using Genotype Data: A Deep Learning-based Predictive Classifier (Preprint). *JMIR Medical Informatics*. 9. 10.2196/24754.
- [4] Haebich, Kristina. "Understanding autism spectrum disorder and social functioning in children with neurofibromatosis type 1: protocol for a cross-sectional multimodal study." *BMJ open* vol. 9,9 e030601. 26 Sep. 2019.
- [5] Vaishnavi Konjeti, P.S. Geethanjali, Ananya Polisetty, T. Kusumita, N. Sai Baba, VHS.Chaitanya, Vegetable Rot Indicator and Preservator(V-RIP), 9th National Conference on Advancements in Information Technology, 3rd May 2023.
- [6] Pan, Zhao-Yu, et al. "Beneficial effects of repeated washed microbiota transplantation in children with autism." *Frontiers in Pediatrics* (2022): 971.
- [7] Ahmed ElGazzar; Rajat Thomas; Guido van Wingen; "Benchmarking Graph Neural Networks for FMRI Analysis", ARXIV-CS.LG, 2022.
- [8] XinDeng; Jiahao, Zhang; Rui, Liu; Ke, Liu; "Classifying ASD Based on Time-series FMRI Using Spatial-temporal Transformer", COMPUTERS IN BIOLOGY AND, MEDICINE, Volume 151, Part B,2022,106320
- [9] M. K. Waghmare, M. Malhotra and R. S R, "Quantitative Analysis of EEG Neurofeedback using optimized 1-DPSO," 2023 10th International Conference on Signal Processing and Integrated Networks (SPIN), Noida, India, 2023, pp. 373-378,
- [10] Reeja, S. R., Rino Cherian, and Kiran Waghmare. "EEG signal-based human emotion detection using an artificial neural network." *Handbook of Decision Support Systems for Neurological Disorders*. Academic Press, 2021. 107-124.
- [11] V. Kavitha and R. Siva, "Classification of Toddler, Child, Adolescent and Adult for Autism Spectrum Disorder Using Machine Learning Algorithm," 2023 9th International Conference on Advanced Computing and Communication Systems (ICACCS), Coimbatore, India, 2023, pp. 2444-2449.
- [12] Sartipi, Shadi, Mahrokh G. Shayesteh, and Hashem Kalbkhani. "Diagnosing of autism spectrum disorder based on GARCH variance series for rs-fMRI data." *2018 9th International Symposium on Telecommunications (IST)*. IEEE, 2018.
- [13] S. Mounika and R. S. R, "Comprehensive Study on RS_FMRI and EEG Using Deep Learning Approach for Brain Stroke," 2023 International Conference on Intelligent and Innovative Technologies in Computing, Electrical and Electronics (IITCEE), Bengaluru, India, 2023, pp. 384-388, doi: 10.1109/IITCEE57236.2023.10090864.
- [14] Amirali Kazeminejad; Roberto C Sotero; "Topological Properties Of Resting-State FMRI Functional Networks Improve Machine Learning-Based Autism Classification", FRONTIERS IN NEUROSCIENCE, VOLUME=12 2019. 18. Lu Z, Wang J, Mao R, Lu M, Shi J. Jointly Composite Feature Learning and Autism Spectrum Disorder Classification Using Deep Multi-Output Takagi-Sugeno-Kang Fuzzy Inference Systems. *IEEE/ACM Trans Comput Biol Bioinform*. 2023 Jan-Feb;20(1):476-488. Epub 2023 Feb 3. PMID: 35349448.
- [15] Huang, Zhi-An, et al. "Federated multi-task learning for joint diagnosis of multiple mental disorders on MRI scans." *IEEE Transactions on Biomedical Engineering* vol. 70,4 (2023): 1137-1149. (2022).
- [16] Pranavesh Kumar Talupuri, Aarush Shivkumar, Gangadhar K., R. Anmol, Hriday Shah, Sai Eeshwar D. CRISP : Comprehensive Route Information System for Passengers, 9th National Conference on Advancements in Information Technology, 3rd May 2023.
- [17] Hemanth Ajay Kumar Posina, CRYPTOCURRENCY PREDICTION USING SENTIMENT ANALYSIS, 9th National Conference on Advancements in Information Technology, 3rd May 2023.
- [18] Hao, Xiaoke, et al. "Exploring high-order correlations with deep-broad learning for autism spectrum disorder diagnosis." *Frontiers in Neuroscience* VOLUME=16 2022.
- [19] Ahmed ZAT, Aldhyani THH, Jadhav ME, Alzahrani MY, Alzahrani ME, Althobaiti MM, Alassery F, Alshafut A, Alzahrani NM, Al-Madani AM. Facial Features Detection System to Identify Children with Autism Spectrum Disorder: Deep Learning Models. *Comput Math Methods Med*. 2022 Apr 4;2022:3941049. PMID: 35419082; PMCID: PMC9001065.
- [20] Alsaade FW, Alzahrani MS. Classification and Detection of Autism Spectrum Disorder Based on Deep Learning Algorithms. *Comput Intel Neurosci*. 2022 Feb 28;2022:8709145.PMID: 35265118; PMCID: PMC8901307.
- [21] Ali Rashid "Autism spectrum Disorder Diagnosis Using Face Features based on Deep Learning "NeuQuantology August 2022 volume 20, Issue10,Page 9140-9151.
- [22] K. Vikas, K. V. Goud, S. Ponaganti, A. N. Reddy, K. Nagasai and S. N. Mohanty, "Agricultural Land Classification Based on Machine Learning Algorithms," 2022 13th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kharagpur, India, 2022, pp. 1-4, doi: 10.1109/ICCCNT54827.2022.9984254.

[23] Shetkar, R.M., Mohanty, S.N. (2021). Mid-Brain Connective for Human Information Processing: A New Strategy for the Science of Optimal Decision Making. In: Nandan Mohanty, S. (eds) Decision Making And Problem Solving. Springer, Cham. https://doi.org/10.1007/978-3-030-66869-3_4