

Review on Drowsiness Detection

Apoorva^{1,*}, D Khasim Vali¹ and Rakesh K R¹

¹Computer Science & Engineering, Vidyavardhaka College of Engineering, Mysuru, India

Abstract

This paper relates the street mishaps that happen because of driver's drowsiness. Recent studies state that more disasters are caused due to doziness. Drivers can feel drowsiness due to sleep deprivation, continuously driving, drugs and medicines, and so on. Accidents caused due to doziness are more than drink driving. This paper traces many methods to detect drowsiness and alerts the driver. There are two approaches to detect drowsiness. First is physiologically based and another is behavioral-based. Also there are other approached used. Many technologies are used for detecting the weariness of the driver. It is a review paper of numerous advancements utilized by various scientists. In addition, human conduct can also be studied. Also, the discovery of drowsiness with eyes open is conceivable. In countenance detection technology, driver weariness recognition is one of the major possible businesses uses. Here how drivers can be alerted using different methods is discussed.

Keywords: SVM, Drowsiness, ECG, EEG, EMG, Driver Fatigue Monitoring, adaboost.

Received on 26 June 2020, accepted on 08 July 2020, published on 10 July 2020

Copyright © 2020 Apoorva *et al.*, licensed to EAI. This is an open access article distributed under the terms of the [Creative Commons Attribution license](#), which permits unlimited use, distribution and reproduction in any medium so long as the original work is properly cited.

doi: 10.4108/eai.13-7-2018.165517

*Corresponding author. Email: Apoorvaradhakrishna500@gmail.com

1. Introduction

Shutting eyes, sagging, is one of the behavior patterns of doziness. The term dozy means falling asleep. It occurs because of a lack of sleep, medicines and drugs, and weariness. Driver's doziness is the prime aspect of grave street mishaps. So as to fulfill the client ever expanding interest, the degree of subjective weight on drivers is likewise expanded. Driver with recklessness level in understanding, detecting, and administrating the vehicle, accordingly represents a genuine risk to their own lives and other's lives. For this purpose, adapting procedures that observe the driver's degree of sleepiness and heeding the driver of any unreliable driving circumstances is crucial. To measure highlights, for example, mind waves (EEG-electroencephalogram), eye developments (EOG-Electrooculography) and pulse (ECG-electrocardiogram) by connecting anodes to the driver physiological estimations are made. This methodology is both meddlesome and unfeasible as anodes must be connected to driver, making it as principle disadvantage. On partitioned roadways and

territories liberated from roadway intersections, has higher chance of accidents. Driver fulfillment with an attention on the vehicle conduct is portrayed as carefulness of driver's condition. Be that as it may have procedures that are dependent upon restrictions like vehicle type and qualities of street. The highly developed technology proposes a strategy to prevent this kind of mishaps. The accidents caused by drowsiness are graver. The driver's face is consistently recorded utilizing a camera in the proposed idea. In the field of mishap shirking frameworks, improvement of innovations for identifying or forestalling sluggishness of driver is difficult. Awakening is significant in directing awareness, consideration, and data preparing, it very well may be seen by complex varieties of physiological estimations, and for example, mind and heart exercises, furthermore, outward appearances. To extricate visual attributes which commonly portray driver's cautiousness level from video pictures, computer vision methods are utilized. Numerous methodologies have been proposed to enhance driver safety. However strategies are delicate to outer factors, for example, luminance or presence of the driver. Vehicle speed, parallel position, turning point and moving course are considered by

strategies that screen the conduct of the vehicle. To the driver these procedures are non-meddlesome, forms them to be reasonable for useful frameworks. For example, the driver experience, driving conditions and vehicle type are constraints for these strategies.

2. Literature Review

Real Time Drowsiness Detection using Eye Blink Monitoring

“In this paper, a strategy was proposed to detect the drowsiness by using Eye state detection with Eye blinking strategy”. To start with, the picture is transformed to dim image and algorithm of Harris corner detection is utilized to detect corners that are at curve of eyes and on both sides. Upon drawing the dots, a straight line will be drawn between the upper two dots and mid-point by calculating the line, and mid-point will be connected to the lower dot. For each image, the same process is performed and distance ‘d’ from the center to the bottom is calculated for determining the condition of eye. Ultimately, based on distance ‘d’ calculated, the eye state’s intent is made. The eye status will be listed as “shut” if d is zero or close to zero, otherwise the eye status will be “open”. They may have invoked time intervals or to know whether the individual is tired or not. This takes 100-400 milliseconds to complete a normal flicker by an individual.

Drowsiness Detection on Eye Blink Duration using Algorithm

A strategy was proposed that recognizes sleepiness in 2012. 640x480 resolution webcam is utilized that performs continuous eye flicker identification. Each eye squint is estimated against a mean worth that are distinguished from each casing. Enlightening at each flicker with a standard mean worth that framework looks at and an alert is activated if the educational surpasses this incentive for a specific measure of successive edges.

The proposed strategy is support vector machine algorithm. An exactness of 99% has been recorded by the creators. For ongoing conditions, in 640x480 resolution the framework runs is substantial. In this calculation, the framework needs to hold data about the past edges in light of the fact that the eye squinting estimations from an aggregate measure of edges are utilized to screen languor.

Driver Fatigue Monitoring System Based on Eye State Analysis

In this paper doiness detection is categorized into three major classifications that are biological indicators, Vehicle behavior, and face analysis. Visionary, heart rate and pulse rate are measured by indicators. Speed, lateral position and turning angle are measured by behavior. Head posture, yawning, eye closure, eye blinking are measured using face analysis. For example, MIT Smart Vehicle [7] is delegate venture. For sensor affirmation visual data are utilized from a vehicle in which few sensors are installed. Toyota directed the excellent security transport venture [8]. Pulse is

estimated when driver wears the wristband. Utilizing hard hat or contacts [9] to screen eyes and stare gesture by other procedures. The conduct of the driver, including head posture, gaping, shut eyes, eye flickering, and so forth estimates the conduct by observing from camera, if any of the laziness indications are distinguished [10][11][12], then it generates the alarm. The fatigue monitoring system established is composed of three key phases: identification of the face and eyes, extraction features and support vector machine, for classification of fatigue.

Real-Time Nonintrusive Monitoring and Detection of Eye Blinking in view of Accident Prevention due to Drowsiness

In this paper, 18% of mishaps including drowsiness are the primary factor stated in review done in 2007 [3]. Drowsiness caused 20% of genuine street mishaps in Britain. Essentially, Road and Traffic Authority expresses has done review in the year 2007, exhaustion added to 20% of mishaps caused on street [4]. To identify fatigue state of the driver so as to avoid mishaps system was introduced that catches face and eyes to gain blinking rate. Utilization of computer vision techniques help extricate unique features from recorded images and videos accomplishes facial recognition. In this paper, a driver sharpness recognition framework was proposed dependent on weariness. The proposed strategy effectively identifies the eye flicker and the sluggishness. In this algorithm, a decent estimation of the squint rate was gotten. By showing the driver utilizing a signal pointer and vibrator engine, safe driving will be guaranteed.

Facial Features Monitoring for Real Time Drowsiness Detection

In this paper, utilization of keen algorithms in vehicles has grown extensively in ongoing years. To screen what's more, transmit the state of the vehicle and the driver frameworks utilizes WSNs. To improve the nature of driving shrewd vehicles utilizes programming procedures to control motor speed, guiding, transmission, brake and so forth. In driver's choice time is prime factor. Observing the state of being and outward appearances of the drivers is another technique to check the driver weariness. Remote sensor systems can't process and transmit these data with satisfactory accuracy and a decent review. In offered method, firstly video is captured by camera then it is broken into parts in proposed method. First face is detected, and then the skin is segmented. After segmentation the system tracks the eye using edge detection algorithm, k means algorithm is used for detection of yawning. Then it is trained using support vector machine. The system offered accomplishes exactness of 94.58% at four test cases compared to other techniques.

Driver Drowsiness Monitoring Based On Yawning Detection

In this paper, identifying or screening the driver to intent whether driver is tired or not is significant in this framework. Tiredness is distinguished on three: physiological, social and execution based estimation. There

are three strategies that are proposed in this area. The first strategy focuses on tiredness recognition by recognizing the face and mouth for identifying yawn. The subsequent technique recognizes face dependent on layout coordination, then mouth using shading condition for identifying yawn. The last technique utilizes Viola-Jones hypothesis for recognizing face and mouth. Identifying yawn led to exploration of three strategies. Finding driver's face and mouth were subject to shading division under various enlightenment conditions in both first and second strategies. Human countenances has exceptional shading therefore various skin shading data was utilized. The lip shading is the focal point in mouth recognition.

Rapid Object Detection using a Boosted Cascade of Simple Features

In this paper, there are three commitments that depict them into resulting segments. Integral image is the new image representations that quickly assess features is the principal commitment of this paper. Utilizing adaboost classifier chooses significant highlights are the second commitment of this paper. To focus attention on promising regions of image complex classifier are combined such that it increases the speed of detector is third commitment of this paper. The proposed methodology is 15 times faster than other methodologies as it takes less time to identify object with high exactness. This has bought insights about new algorithms and representation in computer vision algorithm.

Real-Time System for Monitoring Driver Vigilance

The general design of framework comprises of four significant modules: picture obtaining, student discovery and following, visual practices and driver carefulness. Microcamera is vulnerable close to IR as it is low cost gadget that captures the image. For segmentation and image processing tracking state and eye detection is accountable. In this paper, two kalman filters are utilized for tracing eyes in real time. A few boundaries from the pictures so as to distinguish some visual practices effectively discernible in individuals encountering weariness: slow eyelid development, littler level of enlightening, visit gesturing, flicker recurrence, and face present are calculated in visual, conduct stage. Every individual boundary got in the past stage is combined for utilizing a fluffy framework under driver vigilance evaluation stage that results the driver heedlessness level. If the level surpasses a certain edge then the driver is alerted.

Driver Fatigue Detection based on Eye State Analysis

An efficient innovative drowsiness detector for driver is presented in this paper. First is the interframe difference that is utilized to identify face by binding color details. The area of face is segmented from the picture if existed, dependent on mixed skin tone. Then the process is stimulated for obtaining eye location in face area. For analyzing condition of eye ratio of width to height and pupil height is utilized. Precise eye location can be located through screenings. Two eyes identified produce average pupil height and ratio of

width to height for analyzing condition of eye. The proposed method shows accurate results for drowsiness identification of driver under real time conditions.

Detection of Drowsiness based on HOG features and SVM classifiers

This paper provided method that detects drowsiness of low resolution image. Haar cascade classifier for eye tracing is utilized for detecting drowsiness of driver by combining histogram of oriented gradient (HOG) highlight with Support Vector Machine (SVM) classifier for blink detection. PERCLOS is calculated when eye blinking is detected. The different procedure of an algorithm includes utilizing camera to capture video frames, detection of face then extracting highlight, eye area extraction and identification of eye, identifying blink, then PERCLOS is calculated and detecting drowsiness. There are various stages in drowsiness a) extremely sleepy, fighting sleep b) sleepy, some effort to be alert c) sleepy, no difficulty in being alert. It depicts a method that detects drowsiness of low resolution image. Haar cascade classifier for eye tracing is utilized for detecting drowsiness of driver by combining histogram of oriented gradient (HOG) highlight with Support Vector Machine. PERCLOS value is calculated after blinking is detected. If the value edges more than 6 seconds then the individual is drowsy. By contrasting the outcome with human rater observations the program has been expanded. It produces 91.6%.

Real-Time Nonintrusive Monitoring and Prediction of Driver Fatigue

In this paper, it portrays a real time online model and driver-exhaustion is screened. To attain video picture of the driver, it utilizes charge coupled gadget cameras outfitted with dynamic infrared illuminators which are remotely found. Various viewable signs that regularly describe the degree of readiness of an individual are partitioned progressively and efficiently consolidated to induce the driver weakness. The obvious signs utilized portray growth of the eyelid, look development, head development, and facial articulation. A probabilistic model is created to show human weariness and to anticipate depletion depending on the obvious signs. The simultaneous utilization of methodical mix between different clear prompts gives a considerably more hearty and precise exhaustion than utilization of a solitary visible signal. This framework was approved under genuine exhaustion conditions with human subjects of various ethnic foundations, sexual orientations, and ages; with/without glasses; and under various enlightenment conditions. It was seen as sensibly hearty, dependable, and exact in exhaustion portrayal.

Smartwatch based Wearable EEG System for Driver Drowsiness Detection

The reason for mortality in auto collisions around the world is sleepiness of the driver. To recognize driver tiredness numerous physiological signs have been proposed. EEG signal (Electroencephalographic) is among these signs, which mirrors the mind exercises, is all the more

legitimately identified with laziness. These models just gauge discrete marks is one impediment of these examinations. In addition along these lines didn't take into consideration evaluating relative seriousness of driver languor. There are three stages in drowsiness that includes alert, early warning, drowsy. Support Vector Machine based Back Probabilistic Model (SVMPPM) is proposed for this examination for DDD (Detecting Driver Drowsiness) focused on changing the sluggishness level to any estimation of 0~1 rather than discrete names. To build up this model twenty subjects are utilized. To build model Fifteen subjects and to test model five subjects are utilized. It gives precision of Alert: 91.25% Early-warning: 83.78% Drowsy: 91.92%.

3. Comparison

Sl. No / Paper Title	Comparison Parameters
1. Driver Fatigue Monitoring System Based on Eye State Analysis	<p>Techniques Face detection for eye state analysis</p> <p>Algorithms Viola-Jones Face Cascade of Classifiers Support Vector Machine</p> <p>Dataset 5 subjects</p> <p>Accuracy 93.5%</p>
2. Driver Drowsiness Monitoring Based On Yawning Detection	<p>Techniques I. Camera installed at front mirror: Face detection Mouth detection Yawn detection II. Camera installed on the dash: Face detection Mouth detection Yawn detection</p> <p>Algorithms Color segmentation Active counter model Viola-Jones Method</p> <p>Dataset 342 videos</p>

	<p>Accuracy I. 85% 40% 40% II. 95% 85% 60%</p>
3. Eye detection for a real-time vehicle driver fatigue monitoring system	<p>Techniques Eye detection using image processing</p> <p>Algorithms Artificial neural networks (ANN) Support vector machines (SVM) Adaptive boosting (AdaBoost)</p> <p>Dataset 1295 eye and 1363 non-eye images</p> <p>Accuracy SVM: 98.1% Adaboost: 97.95%.</p>
4. Real-Time Nonintrusive Monitoring and Detection of Eye Blinking in view of Accident Prevention due to Drowsiness	<p>Techniques Face and eye detection Eye blinking detection Warning system design</p> <p>Algorithms Viola-Jones object detection Haar cascaded classifier</p> <p>Dataset Not specified</p> <p>Accuracy Not specified</p>

5. Real Time Drowsiness Detection using Eye Blink Monitoring	<p>Techniques Face and eye detection for eye blink detection</p> <p>Algorithms Viola Jones algorithm Adaboost Haar classifier</p> <p>Dataset Not specified</p> <p>Accuracy 94%</p>	8. Real-Time Warning System for Driver Drowsiness Detection Using Visual Information	<p>Techniques Face detection Eye detection</p> <p>Algorithms Viola-Jones object detection Adaboost algorithm Neural Networks Support Vector Machine</p> <p>Dataset Not specified</p> <p>Accuracy Not specified</p>
6. Facial Features Monitoring for Real Time Drowsiness Detection	<p>Techniques Face detection and skin segmentation Eye detection Yawn detection</p> <p>Algorithms Viola Jones algorithm K-means algorithm SVM</p> <p>Dataset 100 templates</p> <p>Accuracy 94.58%</p>	9. Detection of Drowsiness based on HOG features and SVM classifiers	<p>Techniques Eye tracking using Haar based classifier</p> <p>Algorithms Haar based cascade Classifier Histogram of oriented gradient (HOG) Support Vector Machine (SVM)</p> <p>Dataset Not specified</p> <p>Accuracy 91.6%</p>
7. Rapid Object Detection using a Boosted Cascade of Simple Features	<p>Techniques Feature extraction from integral image</p> <p>Algorithms Adaboost algorithm</p> <p>Dataset 4916 faces</p> <p>Accuracy Not specified</p>	10. Smartwatch based Wearable EEG System for Driver Drowsiness Detection	<p>Techniques Wireless EEG acquisition device</p> <p>Algorithms Support vector machine(SVM)</p> <p>Dataset 20 subjects</p> <p>Accuracy Alert: 91.25% Early-warning: 83.78% Drowsy: 91.92%</p>

4. Conclusion

Various methods have been utilized to detect drowsiness. Some of these methods give high accuracy. Most of these methods used computer vision algorithm for detecting face from photo or videos, detecting gesture of closing eyes and detecting mouth. Computer vision algorithm gives high accuracy. After detecting face, eyes and mouth various algorithms are used on this to detect drowsiness and alert the driver. Many methods give high accuracy. Some methods have disadvantages such as wearing sunglasses, skin color, insufficient lighting, night time and day time. Only single metric that is face detection is considered to detect drowsiness. Hence multiple metric can be considered to achieve more accuracy.

References

- [1] Real Time Drowsiness Detection using Eye Blink Monitoring by Anna Rahman Department of Software Engineering Fatima Jinnah Women University 2015 National Software Engineering Conference (NSEC 2015)
- [2] S. Motorist, Driver Fatigue is an important cause of Road Crashes, Smart Motorist.
- [3] Driver Fatigue and Road Accidents: A Literature Review and Position Paper, the Royal Society for the Prevention of Accidents, 2001.
- [4] Road and Traffic Authority (RTA) Annual Report, Sidney, 2008.
- [5] M. Singh, G. Kaur, "Drowsiness detection on eye blink Duration using algorithm", International Journal of Emerging Technology and Advanced Engineering , Volume 2, Issue 4, April 2012.
- [6] P. Viola and M. Jones, "Rapid object detection using a boosted cascade of simple features", In Conference on Computer Vision and Pattern Recognition, 2001.
- [7] J. Healey and R. Picard, "SmartCar: Detecting driver stress," in *Proc. 15th Int. Conf. Pattern Recognition*, Barcelona, Spain, 2000, vol. 4, pp. 218–221.
- [8] A. Kircher, M. Uddman, and J. Sandin, "Vehicle control and drowsiness," Swedish National Road and Transport Research Institute, Linkoping, Sweden, Tech. Rep. VTI-922A, 2002.
- [9] Anon, "Perclos and eyetracking: Challenge and opportunity," Applied Science Laboratories, Bedford, MA, 1999. [Online]. Available: <http://www.a-s-l.com>.
- [10] F.Xiao, C.Y.Bao,F.S.Yan, "Yawning detection based on gabor wavelets and LDA," Journal Beijing Univ. Technol. 35, pp.409–413, 2009.
- [11]. Z. Zhang, J. Zhang, "A new real-time eye tracking based on nonlinear unscented Kalman filter for monitoring driver fatigue," Journal of Contr. Theory. Applications, 8, pp.181–188, 2010
- [12]. B.C.Yin,X. Fan,Y.F. Sun, Y," Multiscale dynamic features based driver fatigue detection," Int.Journal. Pattern Recogn. Artif. Intell. 23, pp. 575–589, 2009.
- [13] R. Coetzer and G. Hancke, "Driver fatigue detection: A survey," IEEE AFRICON Conference, September 2009.
- [14] S. Abtahi, B. Hariri and S. Shirmohammadi, "Driver drowsiness monitoring based on yawning detection," 2011 IEEE International Instrumentation and Measurement Technology Conference, Binjiang, 2011, pp. 1-4.
- [15] L.M.Bergasa, J.Nuevo, M.A.Sotelo, R. Barea, M.E. Lopez, "Real-time system for monitoring driver vigilance," IEEE Trans. Intelligent Transport System, 7, pp. 63–77, 2006.
- [16] R. C. Coetzer and G. P. Hancke, "Eye detection for a real-time vehicle driver fatigue monitoring system," 2011 IEEE Intelligent Vehicles Symposium (IV), Baden-Baden, 2011, pp. 66-71.
- [17] A. Punitha, M. K. Geetha and A. Sivaprakash, "Driver fatigue monitoring system based on eye state analysis," 2014 International Conference on Circuits, Power and Computing Technologies [ICCPCT-2014], Nagercoil, 2014, pp. 1405-1408.
- [18] P. Viola and M. Jones, "Robust real-time face detection," International Journal of Computer Vision, vol. 57, no. 2, pp. 137–154, May 2004.
- [19] H. Rowley, S. Baluja, and T. Kanade, "Neural network-based face detection," IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 20, no. 1, pp. 23–38, January 1998.
- [20] K. U. Anjali, A. K. Thampi, A. Vijayaraman, M. F. Francis, N. J. James and B. K. Rajan, "Real-time nonintrusive monitoring and detection of eye blinking in view of accident prevention due to drowsiness," 2016 International Conference on Circuit, Power and Computing Technologies (ICCPCT), Nagercoil, 2016, pp. 1-6.
- [21] B. N. Manu, "Facial features monitoring for real time drowsiness detection," 2016 12th International Conference on Innovations in Information Technology (IIT), Al-Ain, 2016, pp. 1-4.
- [22] Du, Yong, et al. "Driver fatigue detection based on eye state analysis." 11th Joint International Conference on Information Sciences. Atlantis Press, 2008.
- [23] L. Pauly and D. Sankar, "Detection of drowsiness based on HOG features and SVM classifiers," 2015 IEEE International Conference on Research in Computational Intelligence and Communication Networks (ICRCICN), Kolkata, 2015, pp. 181-186.
- [24] Qiang Ji, Zhiwei Zhu and P. Lan, "Real-time nonintrusive monitoring and prediction of driver fatigue," in IEEE Transactions on Vehicular Technology, vol. 53, no. 4, pp. 1052-1068, July 2004.
- [25] G. Li, B. Lee and W. Chung, "Smartwatch-Based Wearable EEG System for Driver Drowsiness Detection," in IEEE Sensors Journal, vol. 15, no. 12, pp. 7169-7180, Dec. 2015.