

## Enhancing the Potential of Machine Learning for Immersive Emotion Recognition in Virtual Environment

Abinaya M<sup>1,\*</sup> and Vadivu G<sup>2</sup>

<sup>1,2</sup>Department of Data Science and Business Systems, SRM Institute of Science and Technology, Kattankulathur, Chennai, India

### Abstract

Emotion recognition is an immense challenge for immersive technology. In order to detect the emotions of the user, we use machine learning methods and techniques to use the potential of the Virtual Environment and to improve the userExperience. Emotion recognition plays an important role in developing realistic and emotionally immersive experiences in augmented reality (AR) and virtual reality (VR) settings by instantly adjusting interactions, content, and visuals based on the accurate detection and interpretation of users' emotions. Immersive systems can enhance user experience through various machine learning algorithms and methods used for emotion recognition, which are examined in this article. Upon novel idea, challenges and potential applications of incorporating emotion recognition in immersive virtual environments with Machine Learning (ML) Techniques and thebenefits of tailoring powerful immersive experiences with ML methods were highlighted, and also the study discusses potential advancements in identifying the user's emotion recognition in the future by modeling an Architecture, as well as how the ML techniques were enhanced for virtual environment is discussed.

**Keywords:** Emotion Recognition, Immersive Technology, Machine Learning, Virtual Environments

Received on 13 November 2023, accepted on 26 January 2024, published on 05 February 2024

Copyright © 2024 Abinaya M *et al.*, licensed to EAI. This is an open access article distributed under the terms of the [CC BY-NC-SA 4.0](#), which permits copying, redistributing, remixing, transformation, and building upon the material in any medium so long as the original work is properly cited.

doi: 10.4108/eetsis.5036

\*Corresponding author. Email: [am0150@srmist.edu.inm](mailto:am0150@srmist.edu.inm)

### 1. Introduction

The combination of Virtual Reality (VR) and Machine Learning (ML) has created new opportunities for improving emotion recognition in realistic virtual settings. The process of identifying and interpreting human emotions allows for a deeper comprehension of user experiences and more tailored and interesting interactions. We can leverage the power of data analysis to precisely detect and understand emotions from various sources, including facial expressions, voice inflections, and physiological signals, by utilizing ML techniques like Deep Learning (DL) and pattern recognition algorithms [1,2,3]. This study investigates how ML might improve emotion recognition in virtual settings, highlighting the advantages, difficulties, and potential directions in this fascinating and quickly developing area. Due to the potential uses it could have in a wide range of fields, emotion identification in virtual environments has attracted a lot of

attention. By adjusting the game's difficulty, plot, and graphics to correspond to the player's emotional state, for instance, the capacity to recognize and respond to players' emotions can improve the gameplay experience. In educational contexts, emotion detection can offer useful insights about students' involvement, assisting in optimizing instructional material and the appropriate adaptation of teaching methods. Furthermore, by offering immersive and regulated exposure situations, virtual worlds combined with emotion detection might help treatpsychological illnesses like anxiety and phobias in therapeutic applications [4,5,6]. In order to improve emotion recognition in virtual worlds, ML is essential.

Convolutional Neural Networks (CNNs) and Recurrent Neural networks (RNNs), two types of DL algorithms, have proven to be remarkably effective at learning and recognizing complicated patterns from big datasets [7]. These algorithms can be trained on emotional data that has beenlabeled in order to create models that correctly categorize and understand

emotions. For instance, CNNs can extract facial traits that are indicative of particular emotions from facial expressions taken by virtual avatars or head-mounted displays. The processing of sequential data, such as voice recordings or physiological signals, using RNNs, on the other hand, enables the identification of temporal patterns linked to various emotional states [8]. But in order to fully realize the potential of ML in immersive emotion recognition, a number of issues must be resolved. The lack of annotated emotion datasets related to virtual worlds is one of the main problems. For effective ML model training, large-scale datasets that include a range of emotional states and virtual scenarios must be gathered and labeled. Additionally, by combining different sources of emotional cues, such as voice, physiological signals, and facial expressions, multimodal data fusion can improve the precision and resilience of emotion identification systems [9]. The integration of ML with VR presents intriguing possibilities for improving emotion recognition in virtual settings. The ability to effectively perceive and react to user emotions can be unlocked by utilizing ML approaches, creating more individualized, captivating, and immersive experiences. To advance the discipline, it is essential to overcome issues with dataset accessibility and multimodal data fusion. With more study and development, ML-based emotion detection systems have the potential to revolutionize a variety of industries, including gaming, education, and treatment, as well as virtual worlds.

The main goal of this study is to investigate how ML techniques can be used to recognize emotions in immersive media. The study's specific objectives are to:

- Examine cutting-edge ML methods and algorithms for emotion recognition in immersive environments.
- Evaluate how ML-based emotion recognition affects augmented and VR user experiences.
- Examine the possible uses and advantages of incorporating emotion recognition into immersive technology across industries like gaming, education, healthcare, and communication.
- Describe the difficulties and restrictions involved in integrating emotion recognition powered by ML into immersive technology.
- Make suggestions and future research directions to address the issues found and advance the field.

## 2. Related Works


Immersive technologies like AR and VR have attracted a lot of attention recently and are being used more and more frequently in a variety of fields [10]. These technologies simulate virtual environments that can be erroneous for the real thing to give users engrossing and interactive experiences [11]. The identification and integration of users' emotions is one aspect of immersive technology that has yet to receive much attention [12]. Our overall experience and engagement are greatly influenced by our emotions, so incorporating emotion recognition into immersive technology has great potential to improve user

experiences. In order to create personalized and emotionally compelling immersive experiences, this research looks into the use of ML techniques in emotion recognition within immersive technology [13,14]. To create immersive experiences that connect with users on a deeper level, one must be able to identify and interpret human emotions. By adapting content, interactions, and visuals based on the user's emotional state, systems using emotion recognition can create more unique and interesting experiences. However, there is still a big problem with how to incorporate emotion recognition in immersive technology. Traditional techniques frequently have trouble capturing the complex and dynamic nature of emotions at the moment. A promising solution is provided by ML techniques, which use algorithms to analyze body language, voice tones, and facial expressions in order to accurately and instantly recognize emotions in immersive environments. This study focuses on how immersive technologies, such as AR and VR, can recognize emotions using ML techniques. The study looks at how facial expressions, voice tones, and body language can be analyzed using ML algorithms to identify emotions. The recognition of emotions is a difficult task in and of itself, and achieving perfect accuracy may be difficult. The collection and processing of user data in immersive environments will also take into account ethical issues and privacy concerns [15]. The study recognizes that both ML and immersive technology are evolving and that the availability of sufficient computational resources and datasets may have an impact on the scope of the research. This research article aims to advance personalized and emotionally compelling experiences by examining the integration of ML-based emotion recognition in immersive technology. The results will inspire additional research and development in this fascinating and quickly developing field and offer insightful information about the potential of ML in enhancing immersive technologies [16].

## 3. Methods and Algorithms for Emotion Recognition

This section discusses the various Algorithms in ML Suitable for Emotion Recognition in Immersive Technology


### 3.1. Facial Expression Analysis



**Figure 1.** Facial Expression Analysis Algorithms to use in the Immersive Virtual environment of a typical wireless sensor node.

In immersive technology, facial expression analysis is a common method for identifying emotions. Deep neural networks and other ML algorithms can analyze facial expressions and features to identify and categorize a range of emotions, including happiness, sadness, anger, surprise, and more. Advanced methods for capturing subtle changes in facial muscles that enable accurate emotion recognition include the Facial Action Coding System (FACS) [17,18] and geometric facial landmark detection [19], which are suitable for identifying the facial expression of the user undergoing virtual environments. Fig.1. Shows the Possible Algorithms for facial expression in VR Environment

### 3.2. Voice Tone Analysis




**Figure 2.** Feasible Method for Voice Tone Analysis in an Immersive Environment

To identify emotional cues in user voices, voice tone analysis is used. To determine emotional states, ML algorithms can examine speech patterns, pitch, intonation,

and other vocal traits. Voice tone analysis can accurately identify emotions like happiness, anger, fear, and more by using techniques like acoustic modeling [20] and prosody analysis [21], which makes the experience more immersive and interactive. Consider a Scenario when a user fears for the VR Situation and starts to Scream. We use Voice Tone Analysis to identify the Nature of Sound. Fig.2. Shows the Possible Voice Tone Algorithms that can be used in a Virtual Environment.

### 3.3. Body Language Analysis



**Figure 3.** Feasible ML Method for Body Language Analysis in an Immersive Environment

Body language analysis refers to the process of recording and deciphering users' gestures, postures, and movements in order to infer their emotional states. Computer vision techniques [22] or skeletal tracking data analysis [23] can be used by ML algorithms to identify patterns and gestures that are related to various emotions. This analysis increases the overall authenticity and realism of the user experience by providing a further layer of context for emotion recognition in immersive environments. Fig.3. Depicts the Possible Algorithms to identify the position of the user in an immersive environment.

### 3.4. Data Gathering and Emotion Recognition Annotation

The availability of high-quality, annotated data is essential for accurate emotion recognition. The process of gathering and annotating emotional data for immersive technology entails recording multimodal data, such as body movements, voice recordings, and facial expressions, and labeling it with the appropriate emotional states. Controlled experiments, surveys, or the use of pre-existing emotion datasets can all be used to collect this data. The effectiveness and generalizability of the emotion recognition algorithms within immersive environments are guaranteed by careful data collection and annotation processes [24].

## 4. Machine Learning Methods for Emotion Recognition

### 4.1. Techniques for Supervised Learning

Table 1. ML Approaches for Emotion Recognition

Techniques	Methods	Applications
Supervised Learning	SVM	Gaming (Adaptive Game)
	CNN	Education (Personalized Learning)
	RNN	Healthcare (patient monitoring)
Unsupervised and	Clustering Algorithms	Gaming (behavior analysis)
Semi-Supervised Learning	Generative Adversarial Networks	Healthcare (mental health assessment)
Transfer Learning	Techniques for leveraging	Education (knowledge transfer)
Domain Adaptation	pre-trained models across domains	Healthcare (cross-domain emotion recognition)
Ensemble Methods	Techniques for combining multiple Models for improved performance	Gaming (emotion-driven narratives)
Model Fusion		Healthcare (accurate emotion recognition)

#### Support Vector Machine(SVM)

SVM is a well-liked algorithm for supervised learning that is used to identify emotions. It converts the input features to a high dimensional space and locates the best hyperplane to maximize the separation between the various emotional classes. SVMs have been used to identify emotions with success, especially when working with structured data like acoustic or facial landmarks. They can manage both linear and nonlinear decision boundaries and have good Generalization abilities [25].

#### Convolutional Neural Network(CNN)

CNNs have proven to be incredibly effective at a number of computer vision tasks, including emotion recognition. Using convolutional and pooling layers, CNNs automatically learn hierarchical representations from unprocessed input data, such as facial images [26]. In order to classify emotions, they extract pertinent features and capture spatial dependencies. VGGNet, ResNet, and InceptionNet are a few CNN-based architectures that have demonstrated promising results in recognizing facial expressions of emotion.

#### Recurrent Neural Network(RNN)

RNNs have been successfully used in emotion recognition tasks involving time-dependent data, such as speech signals or continuous video frames. They are well-suited for

sequential data analysis. RNNs can model temporal dependencies and gather long-term contextual data by utilizing recurrent connections [27]. In order to capture temporal dynamics and achieve cutting-edge performance, architectures like Long Short Term Memory (LSTM) and Gated Recurrent Unit (GRU) have been widely used in emotion recognition applications.

### 4.2. Techniques for Supervised and Semi-Supervised Learning

#### Clustering Algorithms

When using immersive technology, unsupervised learning methods like clustering algorithms can be used to recognize emotions. Without any labeled information, clustering algorithms combine similar data points based on their features. They can spot emotional clusters and find hidden patterns in the data. When used in immersive environments, methods like k-means, hierarchical clustering, and Gaussian mixture models can be used to identify emotional patterns and offer insights into user experiences.



**Table 2.** Integration of Emotion Recognition in Immersive

Techniques	Applications
Real-time Emotion Recognition	Gaming (dynamic game mechanics) Healthcare (real-time therapy)
Adaptive Content and Interaction	Education (adaptive learning) Social Interactions (empathetic communication)
Personalization and User Experience Enhancement	Entertainment (immersive storytelling) Healthcare (personalized therapy)

### Generic Adversarial Networks (GAN)

Unsupervised learning models called GANs have two parts: a generator and a discriminator. GANs are capable of producing artificial data that closely resembles actual emotional data. The performance of emotion recognition models can be enhanced by using GANs to supplement already labeled datasets or create new training examples [28]. GANs have demonstrated promise in producing emotional content and realistic facial expressions for immersive technology applications.

### Transfer Learning and Domain Adaption

Transfer learning is the process of applying knowledge gained from one field or task to a different field or task that is closely related. Pre-trained models that have been optimized or used as feature extractors for emotion classification in immersive technology can be learned from large-scale datasets like ImageNet. Transfer learning increases generalization abilities while reducing the need for large amounts of labeled data in the target domain.

### Ensemble Methods and Techniques for Model Fusion

Ensemble methods combine various individual models to produce predictions that are more accurate. By combining predictions from multiple base models, each trained on a different subset of the data or using a different feature representation, ensemble methods can be used to enhance classification performance in emotion recognition. In immersive environments, model fusion techniques like majority voting, weighted averaging, or stacking can be used to combine individual model outputs and improve the overall

accuracy of emotion recognition [29]. Table 1 depicts the machine learning approaches for emotion recognition.

## 5. Emotion Recognition in Immersive Technology Integration


Researchers can enhance emotion recognition in immersive technology by using these ML approaches, which combine ensemble methods, supervised, unsupervised, semi-supervised, and transfer learning techniques. Every method has its own benefits and helps build reliable emotion recognition systems, enabling more interesting and emotionally relevant immersive experiences. Table 2 depicts the Integration of Emotion Recognition in Immersive Technology.

### 5.1 Real Time Emotion-Recognition

By incorporating real-time emotion recognition into immersive technology, content, and interactions can be immediately and dynamically altered according to the user's emotional state. Immersive systems are able to identify and interpret emotions as they are expressed by utilizing ML algorithms that analyze voice tone, body language, and facial expressions in real-time. As a result, the virtual environment can be timely adjusted to match the user's emotional experience by changing visuals, sound effects, or narrative components. The responsiveness and authenticity of the immersive technology are improved by real-time emotion recognition, creating a more immersive and engaging user experience.

### 5.2 Adaptive Content and Interaction

The use of immersive technology to recognize emotions creates new opportunities for interactive and adaptive content. The system can dynamically modify the content and interaction patterns to produce a more tailored and emotionally resonant experience by continuously tracking and analyzing users' emotions. For instance, depending on the player's emotional investment and level of interest, the challenge or the narrative elements in a game scenario can be changed. The content delivery in educational applications can be tailored based on the learner's emotional state, ensuring a more efficient and interesting learning process. User agency, immersion, and emotional connection are all fostered by adaptive content and interaction, which ultimately improves the user experience [30].



**Figure 4.** Based on the research study, a model architecture for integrating ML with immersive technology for emotion recognition has been developed

### 5.3 Personalized and Improved User Experience

Individual users can have personalized and catered experiences through the integration of emotion recognition within immersive technology. Immersive systems can adjust and personalize the content, setting, and interactions to suit each user's particular needs and preferences by comprehending their emotional states, preferences, and reactions. The emotional bond between the user and the virtual environment is strengthened thanks to personalization, which boosts engagement, enjoyment, and satisfaction. Immersive technology can learn and improve its responses over time by utilizing ML algorithms, further improving personalization and user experience. By incorporating emotion recognition into immersive technology, it is possible to design intensely immersive, emotionally impactful, and long-lasting experiences that are tailored to the unique needs of each user [31].

Immersive technology can change the user experience by aligning with users' emotions and generating more engaging and emotionally impactful interactions. This is accomplished by integrating real-time emotion recognition, adaptive content and interaction, and personalized experiences. Using immersive experiences to evoke particular emotions, improve emotional well-being, and offer a more enriching and customized user experience, this integration opens up new possibilities for entertainment, education, therapy, and various other domains [32,33]. Fig 4 represents the integration of ML with Immersive Technology is Depicted.

## 6. Applications and Benefits

### 6.1 Gaming and Entertainment

By generating more immersive and emotionally compelling experiences, immersive technology revolutionizes the gaming and entertainment industries. Games can dynamically change their difficulty setting, plot lines, character interactions, and audiovisual effects to increase player engagement and emotional connection. This is done by detecting and responding to users' emotions in real-time. As a result of games adapting to players' emotional responses, personalized and engrossing experiences are made possible by emotion recognition. The addition of emotion recognition to multiplayer games can also improve social interactions by, for example, detecting and reflecting players' emotional states during cooperative or competitive gameplay.

### 6.2 Education and Training

The implementation of immersive technology in education and training has important implications for emotion recognition. Immersive educational applications can customize content delivery, pacing, and feedback to improve learning outcomes by analyzing learners' emotional states. Personalized support and modifications to the learning environment can be made in response to a student's engagement, frustration, or boredom. Recognizing emotions can also help teachers evaluate

students' affective states, pinpoint problem areas, and implement targeted interventions. In disciplines like healthcare, aviation, and emergency response training, immersive simulations and VR training programs can use emotion recognition to improve trainees' engagement, motivation, and skill acquisition.

### 6.3 Healthcare and Therapy

Immersive technology's ability to recognize emotions has promising therapeutic and medical uses. In VR settings, exposure therapy can take place in secure and regulated environments where emotion recognition can keep track of and control patients' levels of anxiety or fear during therapy sessions. When a user is experiencing stress, anxiety, or depression, emotion-aware virtual coaches or companions can help by tailoring their support and interventions. By adjusting virtual exercises or gamified therapies to patients' emotional needs in rehab settings, emotion recognition can increase their motivation and engagement. Additionally, emotion recognition can help medical professionals keep track of their patient's emotional health and spot early indications of mental health issues.

### 6.4 Social Interactions and communications

Immersive technology that recognizes emotions promotes more organic and sympathetic social interactions and communication. Richer and more emotionally expressive telepresence is made possible by the ability of VR environments to record user emotional expressions and transmit them to other participants. By recognizing and expressing users' emotions through digital avatars or animated characters, emotion recognition can improve non-verbal communication. Emotion recognition can be incorporated into social VR platforms to produce emotionally compelling social experiences, fostering deeper connections and empathy among users. Additionally, emotion recognition can support more nuanced and context-aware interactions in digital environments by helping to identify and address emotional cues during online communication. The transformative potential of incorporating emotion recognition within immersive technology across various domains is highlighted by these applications. Immersive experiences become more individualized, compelling, and emotionally resonant when they recognize and respond to users' emotions. This enhances user satisfaction, learning outcomes, therapeutic effectiveness, and social interactions. The advantages of emotion recognition in immersive technology will probably increase as the technology field develops, opening up new avenues for emotional health and human-computer interaction.

## 7. Challenges and Future Direction

### 7.1 Ethical Considerations and Privacy Issues

The integration of emotion recognition in immersive technology raises ethical concerns regarding data privacy, informed consent, and potential misuse of personal emotional information. Ensuring that users' emotional data is collected and processed securely, with clear consent mechanisms, is crucial. Additionally, protecting user anonymity and preventing unauthorized access to emotional data is paramount. Ethical guidelines and regulations need to be established to address these concerns and promote the responsible use of emotion recognition technology.

### 7.2 Robustness and Generalization

Emotion recognition systems in immersive technology must demonstrate robustness and generalization across diverse user populations, environmental conditions, and cultural contexts. Models trained on limited datasets may struggle to recognize emotions accurately outside their training distribution, leading to biases and inaccuracies. Developing robust and generalizable algorithms requires large, diverse, and well-annotated datasets representing various demographics and emotional expressions. Additionally, improving the adaptability of models to different cultural norms and individual differences is crucial for effective emotion recognition in immersive technology.

### 7.3 Multimodal Emotion Recognition

Emotions are multimodal in nature, involving facial expressions, voice tone, body language, and physiological signals. Advancing multimodal emotion recognition in immersive technology requires an effective fusion of data from multiple modalities. Integrating and synchronizing different sensors and technologies to capture and analyze multimodal data presents technical challenges. Developing robust fusion techniques that can leverage complementary information from various modalities is essential for achieving accurate and comprehensive emotion recognition within immersive environments.

### 7.4 Real-World Deployment and User Acceptance

For emotion recognition in immersive technology to make a significant impact, it needs to be seamlessly integrated into real-world applications and gain user acceptance. Deploying emotion recognition systems in real-world

scenarios involves considerations such as computational efficiency, hardware requirements, and user interface design. Emotion recognition technology must be user-friendly, nonintrusive, and seamlessly integrated into existing immersive platforms to encourage adoption and acceptance. Understanding user preferences, expectations, and concerns regarding emotion recognition in immersive technology is vital for successful deployment and widespread acceptance. In the future, addressing these challenges will pave the way for advancements in emotion recognition within immersive technology. By addressing ethical considerations, improving robustness and generalization, advancing multimodal approaches, and ensuring real-world applicability, emotion recognition in immersive technology can become more reliable, accurate, and user-friendly. This will facilitate its integration into various domains, such as healthcare, education, entertainment, and communication, leading to more emotionally intelligent and immersive experiences. Ongoing research, collaboration, and interdisciplinary efforts are essential to drive the future directions of emotion recognition in immersive technology develops, opening up new avenues for emotional health and human-computer interaction.

## 8. Conclusion

Algorithms for analyzing face, voice, and body language in an immersive virtual environment were discussed. After Reviewing various research articles, we learned that ML was used for immersive technology to recognize the user's emotions in a virtual environment to avoid Challenges and to Recognise the user's feelings for identifying Social Anxiety Conditions in some Situations. Transfer learning, ensemble methods, supervised learning methods such as SVM, CNN, RNN, unsupervised and semi- supervised learning methods, and GAN are also Possible methods in Recognition of Emotions. Emotion Recognition would enhance the immersion and emotional impact of games, educational and other Purposes are enlightened in many Research Articles. Based on the study, Future research also discussed improving emotion recognition in immersive technology by addressing ethical and privacy concerns. Morality, individual choice, and privacy are all important considerations, and also biases and errors are eliminated by using robust, generalized emotion recognition models. All these are possible with well- annotated datasets from different groups and backgrounds. Research into multimodal emotion recognition is also important for

Emotion identification in virtual Environments. By simultaneously recording and analyzing facial expressions, voice tones, body language, and physiological signals, emotion recognition systems would become more accurate and thorough through ML methods and techniques found in this article.

## Acknowledgements.

The Full-time Ph.D. - IT/IT Enabled Services (IT/ITES) is supported by the Ministry of Electronics and Information Technology; the Government of India initiated "Visvesvaraya Ph.D. Scheme for Electronics and IT" Funding Statement: The authors received no specific funding for this study.

## References

- [1] Zhan, T., Yin, K., Xiong, J., He, Z., Wu, S-T. Augmented Reality and Virtual Reality Displays: Perspectives and Challenges. *iScience*. 2020; Vol. 23, No. 8: pp. 101397.
- [2] Shu, L., Marín-Morales, J., Llinares, C., Guixeres, J., Alcaniz, M. A Review of Emotion Recognition Using Physiological Signals. *Sensors*. 2018; Vol. 18, No. 7: pp. 2074
- [3] Marín-Morales, J., Llinares, C., Guixeres, J., Alcaniz, M. Affective Computing in Virtual Reality: Emotion Recognition from Brain and Heartbeat Dynamics Using Wearable Sensors. *Scientific Reports*. 2018; Vol. 8, No. 1: pp. 23.
- [4] Balan, O., Moise, G., Petrescu, L., Moldoveanu, A., Leordeanu, M., Moldoveanu, F. Emotion Classification Based on Biophysical Signals and Machine Learning Techniques. *Symmetry*. 2019; Vol. 12, No. 1: pp. 21.
- [5] Mehta, D., Siddiqui, M. F. H., Javaid, A. Y. Recognition of Emotion Intensities Using Machine Learning Algorithms: A Comparative Study. *Sensors*. 2019; Vol. 19, No. 8: pp. 1897.
- [6] Marín-Morales, J., Llinares, C., Guixeres, J., Alcaniz, M. Emotion Recognition in Immersive Virtual Reality: From Statistics to Affective Computing. *Sensors*. 2020; Vol. 20, No. 18: pp. 5163.
- [7] Kamruzzaman, M., Hossain, M., Imran, Md. R. I., Bakchy, S. C. A Comparative Analysis of Sentiment Classification Based on Deep and Traditional Ensemble Machine Learning Models. *IEEE Xplore*. 2021; pp. 631–638.
- [8] Tao, Y., Donato, G., Bartlett, M. S, Hager, J. C., Ekman, P., Sejnowski, T. J. Confidence Estimation Using Machine Learning in Immersive Learning Environments. *IEEE Xplore*. 2020; pp. 145–150.
- [9] Alsaleh, S., Tepljakov, A., Tamre, M., Petlenkov, E. Towards Artificial Intelligence Driven Immersive



- Environments in Virtual Reality for Industrial Applications. *IEEE Xplore*. 2021; pp. 172–182.
- [10] Maxim, B. R., Patel, N. V., Martineau, N. D., Schwartz, M. Work in progress - learning via gaming: An immersive environment for teaching kids handwriting. *IEEE Xplore*. 2007; Vol. 11, No. 2: pp. 145–150.
- [11] Gombolay, M. C., Jensen, R. E., Son, S-H. Machine Learning Techniques for Analyzing Training Behavior in Serious Gaming. *IEEE Transactions on Games*. 2019; Vol. 11, No. 2: pp. 109–120.
- [12] Kasun, L. L. C., Yang, Y., Huang, G-B., Zhang, Z. Dimension Reduction With Extreme Learning Machine. *IEEE Transactions on Image Processing*. 2016; Vol. 25, No. 8: pp. 3906–3918.
- [13] Kuś, S., Szmurło, R. CNN-based character recognition for a contextless text input system in immersive VR. *IEEE Xplore*. 2021; pp. 191–197.
- [14] Zhu, K., Marín-Morales, J., Llinares, C., Guixeres, J., Alcaniz, M. Interface and Experience Design with AI for VR/AR (DAIVAR'18) and AI/ML for Immersive Simulations (AMISIM'18). *IEEE Xplore*. 2018; pp. 187–194.
- [15] Pfeiffer, J., Pfeiffer, T., Meißner, M., Weiß, E. Eye-Tracking-Based Classification of Information Search Behavior Using Machine Learning: Evidence from Experiments in Physical Shops and Virtual Reality Shopping Environments. *Information Systems Research*. 2020; Vol. 31, No. 3: pp. 675–691.
- [16] Jingyu, D., Hongyu, D., Jianxing, W., Xuanzi, W. Children's Clothing Virtual Simulation Immersive Design and Show Based on Machine Learning. *Mobile Information Systems*. 2021; Vol. 20: pp. 1–9.
- [17] Donato, G., Bartlett, M. S., Hager, J. C., Ekman, P., Sejnowski, T. J. "Classifying Facial Actions." *IEEE Transactions on Pattern Analysis and Machine Intelligence*. 1999; Vol. 21, No. 10: pp. 974.
- [18] Gavrilescu, Mihai. Proposed architecture of a fully integrated modular neural network-based automatic facial emotion recognition system based on Facial Action Coding System. 2014; Vol. 11, No.1: pp. 145–150.
- [19] Kotsia, I., Pitas, I. Facial Expression Recognition in Image Sequences Using Geometric Deformation Features and Support Vector Machines. *IEEE Transactions on Image Processing*. 2007; Vol. 16, No. 1: pp. 172–187.
- [20] Wu, Chung-Hsien, Liang, Wei-Bin. Emotion Recognition of Affective Speech Based on Multiple Classifiers Using Acoustic-Prosodic Information and Semantic Labels. *IEEE Transactions on Affective Computing*. 2011; Vol. 2, No. 1: pp. 10–21.
- [21] Wu, C-H., Lin, J-C., Wei, W-L. Two-Level Hierarchical Alignment for Semi-Coupled HMM-Based Audiovisual Emotion Recognition with Temporal Course. *IEEE Transactions on Multimedia*. 2013; Vol. 15, No. 8: pp. 1880–1895.
- [22] Li, Y., Zeng, J., Shan, S., Chen, X. Occlusion Aware Facial Expression Recognition Using CNN With Attention Mechanism. *IEEE Transactions on Image Processing*. 2019; Vol. 28, No. 5: pp. 2439–2450.
- [23] Devanne, M., Wannous, H., Berretti, S., Pala, P., Daoudi, M., Del Bimbo, A. 3-D Human Action Recognition by Shape Analysis of Motion Trajectories on Riemannian Manifold. *IEEE Transactions on Cybernetics*. 2015; Vol. 45, No. 7: pp. 1340–1352.
- [24] Ahmad, Z., Khan, N. A Survey on Physiological Signal-Based Emotion Recognition. *Bioengineering*. 2022; Vol. 9, No. 11: pp. 681–688.
- [25] Guo, G., Li, S. Z., Chan, K. L. Support Vector Machines for Face Recognition. *Image and Vision Computing*. 2001; Vol. 19, No. 9–10, pp: 631–638.
- [26] Bendjoudi, I., Vanderhaegen, F., Hamad, D., Dornaika, F. Multi-label, multi-task CNN approach for context-based emotion recognition. *Information Fusion*. 2020; pp. 751–756.
- [27] Huang, C-W., Narayanan, S. S. Deep Convolutional Recurrent Neural Network with Attention Mechanism for Robust Speech Emotion Recognition. *IEEE Xplore*. 2017; pp. 691–698.
- [28] Ma, F., Li, Y., Ni, S., Huang, S-L., Zhang, L. Data Augmentation for Audio-Visual Emotion Recognition with an Efficient Multimodal Conditional GAN. *Applied Sciences*. 2022; Vol. 12, No. 1: pp. 527.
- [29] Yang, J. Ensemble deep learning with HuBERT for speech emotion recognition. 2023 IEEE 17th International Conference on Semantic Computing (ICSC). 2023; pp. 175–183.
- [30] Jayachitra, S., Prasanth, A., Rafi, S. M., Beevi, S. Z. Hierarchical-Based Binary Moth Flame Optimization for Feature Extraction in Biomedical Application. *Proceedings in 4th International Conference on Machine Learning, Image Processing, Network Security and Data Sciences*. 2023; pp. 27-38.
- [31] Anbumozhi, A., Shanthini, A. Leaf Diseases Identification and Classification of Self-Collected Dataset on Groundnut Crop using Progressive Convolutional Neural Network (PGCNN). *International Journal of Advanced Computer Science and Applications*. 2023; Vol. 14, No. 2: pp. 128.
- [32] Jayachitra, S., Prasanth, A., Hariprasath, S., Benazir Begam, R., Madijagan, M. AI Enabled Internet of Medical Things in Smart Healthcare. In *AI Models for Blockchain-Based Intelligent Networks in IoT Systems: Concepts, Methodologies, Tools, and Applications*. 2023; pp. 141-161.
- [33] Kavitha, M., Roobini, S., Prasanth, A., Sujaritha, M. Systematic View and Impact of Artificial Intelligence in Smart Healthcare Systems, Principles, Challenges and Applications. In *Machine Learning and Artificial Intelligence in Healthcare Systems*. 2023; pp. 25-56.